

Vol. 23



\$20.00

# **B&M HARDWARE** Timely Hardware

Window & Door Hardware House Restoration Hardware Furniture & Cabinet Hardware Classic, Traditional & Vintage Styles



Timely Hardware • 4125 Avenida de la Plata • Oceanside CA 92056 Order Hotline: (800) 783-2212 • Customer Service: (760) 630-1522 • Fax: (760) 630-8536

Email: info@bmhardware.com

Website: www.timelyhardware.com



email: info@bmhardware.com

# Good to know: brass repels germs, bacteria and viruses



Our warehouse near San Diego CA, where our products are stocked. From here we ship your orders on the same day they are received.

**BAR-CODE LABELS** Do you need bar-code labels on your products? We can do it for you. Please contact us to see how you can use this service.



# TABLE OF CONTENTS

# **BUILDERS' HARDWARE**

PAGE

Door hardware	1-36
Deadbolts	29
Door accessories	31
Door handles	10-12
Door hinges	36, 45
Door key hole plates and keys	31
Door knobs	. 14-16
Door latch sets: how to order	26-27
Door latches	25
Door plates	16-19
Door roses	20-21
Door spindles	8-9
Door strikes	30
Entrance door mortise locks	1-7
Entry lock sets: how to order	, 22-24
Mortise locks - interior doors	28
Mortise locks - exterior doors	1-7
Picture (molding) hooks	117
Screen door hardware	32-33
Surface bolts	34-35
Window hardware 3	64-45
Casement window hardware	40-41
Sash window hardware	37-39
Shutter hardware	42-45
Storm screen/window hardware	43
Surface bolts	34-35
Transom window hardware	44

# GENERAL HARDWARE

Furniture and cabinet hardware	45-127
Armoire hinges	50
Art deco, streamline, moderne styles	84-85
Arts & crafts, craftsman and mission styles	88-93
Bakelite, waterfall hardware	105
Bed parts	
Bookcase hardware	. 76, 107
Cabinet door pulls	57,80-81
Card pulls and label holders	112

Continues on next page


# **TABLE OF CONTENTS**

# PRODUCT

# PAGE


Casters and toe caps	108-111
China cabinet pulls	80-81
Chippendale style 60-61, 64-65	, 67 , 79-80
Colonial revival 60-61, 64-70	), 73 , 78-80
Contemporary classic	6-87, 90-91
Depression era	66 , 73
Desk hardware	112-115
Displays	128
Drawer drop pulls with 1 post	6-71, 88-89
Drawer drop pulls with 2 posts	59-65
Drawer pulls	52-70
Drawer/bin pulls	52-53
Eastlake style	-71, 78, 118
File cabinet hardware	112-113
Glass knobs and pulls	122-127
Heppelwhite, sheraton, Duncan Phife styles 65-67, 73	, 78-79 , 111
Hinges	45-51,111
Hoosier cabinets hardware	96-99
Ice box and refrigerator hardware	104
Iron hardware (black)	100-102
Keyhole plates	78-81
Knobs	71-77
Label holders and card pulls	112
Latches. Catches, turns	81-83
Locks and keys	114-116
Mirror hardware	111
Miscellaneous hardware	117
Morris chair hardware	106
Pendant (drop) pulls	68-70
Porcelain knobs	121
Push button pulls	81
Ring pulls	66-71
Screws and fasteners	93-95
"Swan neck" pulls	59-10
Victorian styles 53, 56, 59, 62-63, 67, 70-74, 78-80, 82-	83,100-103
Wood products	118-120
Household	101-117
Hall tree, costumer and wall hooks	101-104
Picture (molding) hooks	117

HIGH QUALITY ENTRANCE DOOR MORTISE LOCKS For new doors and for replacing locks in old doors



12.0

Full	set			
Number	Number	Backset	Function	Туре
8895	95	2 3/4"	K-K	With egress
8898	98	2 1/2"	K-K	With egress
8905	05	2 3/4"	K-K	Without egress
8908	08	2 1/2"	K-K	Without egress



2.1

Full	set			
Number	Number	Backset	Function	Туре
8896	96	2 3/4"	K-H	With egress
8899	99	2 1/2"	K-H	With egress
8906	06	2 3/4"	K-H	Without egress
8909	09	2 1/2"	K-H	Without egress

For detailed description and specs see pages 2-5

Guide for choosing locks on pages 6-7

Guide for choosing complete lock sets on pages 22-24

-3 M --

# High quality, precision made mortise lock cases for entrance doors For new doors or as replacements for Sargent, Corbin and Russwin locks in old doors Field reversible



See.

Knob-Knob function

2 1/2" backset

8898-PB polished brass
8898-PL lacquered polished brass
8898-OB oil rubbed bronze
8898-BN brushed nickel
8898-PN polished nickel
2 1/2" backset
Entrance - with egress
Knob-knob function

Trim available in 5 finishes 8908-PB polished brass
8908-PL lacquered polished brass
8908-OB oil rubbed bronze
8908-BN brushed nickel
8908-PN polished nickel
2 1/2" backset
Entrance - without egress
Knob-knob function

Backset: 2 1/2" Steel lock case: 3 3/4" wide (deep), 5 1/2" high, 13/16" (.812") thick Brass face plate: 1 1/4" wide, 8" high Keyway cylinder spacing: 3 7/16" (3.43") Thumb turn spacing: 2-1/4" Brass strike plate: 4 7/8" high, 1 1/4" wide (1 7/8" wide at lip) For 1 3/4" thick doors (range: 1 5/8" - 1 7/8")

- · Anti-friction latch and auxiliary (guard) latch
- Stop/release buttons
- Deadbolt with 2 saw-proof hardened steel inserts
- Cylinder plug and dust box
- Includes keyway cylinder and 3 keys
- · Face plate detachable to set cylinder keyway and plug, and to reverse handing
- 1 year warranty on the lock or its parts (excluding normal wear)
- Locks are field reversible (shipped right-handed)

For thicker doors order them with thick door kits Additional keyway cylinders can be ordered by themselves

Mortise locks can be ordered by themselves (with keyway cylinder, 3 keys, strike plate and dust box) as shown here or as complete door sets with doorknobs and door trim as described in pages 22-24

Will work just as well in new doors as in the the restoration of doors of old houses

ANSI CODE F08

Without egress

-3 M --

# High quality, precision made mortise lock cases for entrance doors For new doors or as replacements for Sargent, Corbin and Russwin locks in old doors Field reversible



25

Knob-Knob function

8895-PB polished brass
8895-PL lacquered polished brass
8895-OB oil rubbed bronze
8895-BN brushed nickel
8895-PN polished nickel
2 3/4" backset
Entrance with egress
Knob-knob function

2 3/4" backset

Trim available in 5 finishes



8905-PB polished brass
8905-PL lacquered polished brass
8905-OB oil rubbed bronze
8905-BN brushed nickel
8905-PN polished nickel
2 3/4" backset
Entrance - without egress
Knob-knob function

Backset:2 3/4"Steel lock case:3 3/4" wide (deep) , 5 1/2" high , 13/16" (.812") thickBrass face plate:1 1/4" wide , 8" highKeyway cylinder spacing:3 7/16" (3.43")Thumb turn spacing:2-1/4"Brass strike plate:4 7/8" high , 1 1/4" wide (1 7/8" wide at lip)For1 3/4" thick doors (range:1 5/8" - 1 7/8")

- · Anti-friction latch and auxiliary (guard) latch
- Stop/release buttons
- Deadbolt with 2 saw-proof hardened steel inserts
- Cylinder plug and dust box
- Includes keyway cylinder and 3 keys
- · Face plate detachable to set cylinder keyway and plug, and to reverse handing
- 1 year warranty on the lock or its parts (excluding normal wear)
- Locks are field reversible (shipped right-handed)

Will work just as well in new doors as in the the restoration of doors of old houses

For thicker doors order them with thick door kits Additional keyway cylinders can be ordered by themselves

Mortise locks can be ordered by themselves (with keyway cylinder, 3 keys, strike plate and dust box) as shown here or as complete door sets with doorknobs and door trim as described in pages 22-24

### -3 M --

# High quality, precision made mortise lock cases for entrance doors For new doors or as replacements for Sargent, Corbin and Russwin locks in old doors Field reversible



12.0

Knob-Handle function

> 2 1/2" backset

8899-PB polished brass
8899-PL lacquered polished brass
8899-OB oil rubbed bronze
8899-BN brushed nickel
8899-PN polished nickel
2 1/2" backset
Entrance - with egress
Knob-handle function





8909-PB polished brass
8909-PL lacquered polished brass
8909-OB oil rubbed bronze
8909-BN brushed nickel
8909-PN polished nickel
2 1/2" backset
Entrance - without egress
Knob-handle function

Backset:  $2 \ 1/2^{"}$ Steel lock case:  $3 \ 3/4^{"}$  wide (deep),  $5 \ 1/2^{"}$  high ,  $13/16^{"}$  (.812") thick Brass face plate:  $1 \ 1/4^{"}$  wide ,  $8^{"}$  high Keyway cylinder spacing:  $3 \ 7/16^{"}$  (3.43") Thumb turn spacing:  $2 \ -1/4^{"}$ Brass strike plate:  $4 \ 7/8^{"}$  high ,  $1 \ 1/4^{"}$  wide ( $1 \ 7/8^{"}$  wide at lip) For  $1 \ 3/4^{"}$  thick doors (range:  $1 \ 5/8^{"} \ -1 \ 7/8^{"}$ )

- Anti-friction latch and auxiliary (guard) latch
- Stop/release buttons
- Deadbolt with 2 saw-proof hardened steel inserts
- Cylinder plug and dust box
- Includes keyway cylinder and 3 keys
- · Face plate detachable to set cylinder keyway and plug, and to reverse handing
- 1 year warranty on the lock or its parts (excluding normal wear)
- Locks are field reversible (shipped right-handed)

Used with #8859, #8858, and #8857 door handles with thumb-pieces as trim on the exterior side of entrance doors, see p. 10

For thicker doors order them with thick door kits Additional keyway cylinders can be ordered by themselves

Mortise locks can be ordered by themselves (with keyway cylinder, 3 keys, strike plate and dust box) as shown here or as complete door sets with doorknobs and door trim as described in pages 22-24

Will work just as well in new doors as in the the restoration of doors of old houses

### -3 M-

# High quality, precision made mortise lock cases for entrance doors For new doors or as replacements for Sargent, Corbin and Russwin locks in old doors **Field reversible**



5.0

**Knob-Handle** function

8896-PB polished brass 8896-PL lacquered polished brass 8896-OB oil rubbed bronze 8896-BN brushed nickel 8896-PN polished nickel 2 3/4" backset Entrance - with egress Knob-handle function

2 3/4" backset

Trim available in 5 finishes



8906-PB polished brass 8906-PL lacquered polished brass **8906-OB** oil rubbed bronze 8906-BN brushed nickel 8906-PN polished nickel 2 3/4" backset Entrance - without egress Knob-handle function

23/4" Backset: Steel lock case: 3 3/4" wide (deep), 5 1/2" high, 13/16" (.812") thick Brass face plate: 1 1/4" wide, 8" high Keyway cylinder spacing: 3 7/16" (3.43") Thumb turn spacing: 2-1/4" Brass strike plate: 4 7/8" high , 1 1/4" wide (1 7/8" wide at lip) For 1 3/4" thick doors (range: 1 5/8" - 1 7/8")

- Anti-friction latch and auxiliary (guard) latch
- Stop/release buttons
- Deadbolt with 2 saw-proof hardened steel inserts
- Cylinder plug and dust box
- Includes keyway cylinder and 3 keys •
- Face plate detachable to set cylinder keyway and plug, and to reverse handing
- 1 year warranty on the lock or its parts (excluding normal wear)
- Locks are field reversible (shipped right-handed)

Used with #8859, #8858, and #8857 door handles with thumb-pieces as trim on the exterior side of entrance doors, see p. 10

For thicker doors order them with thick door kits Additional keyway cylinders can be ordered by themselves


Mortise locks can be ordered by themselves (with keyway cylinder, 3 keys, strike plate and dust box) as shown here or as complete door sets with doorknobs and door trim as described in pages 22-24

Will work just as well in new doors as in the the restoration of doors of old houses

Gre

# HOW TO CHOOSE AN ENTRY DOOR MORTISE LOCK

# 1. Do you want the lock's function to be Knob-Knob or Knob-Handle?



See page 7 for explanation of "Egress" vs. "Non-Egress"

# See pages 22-24 on how to choose a full door set with lock, knobs and trim

Yes	No		Single Action Exit	
Yes	Yes		Dependable Security	
With Egress	Without Egress			
rwise both types of locks are the same	locking oneself out - othe	ossibility of	"With egress" adds a level of security; however it raises the possibility of locking oneself out - otherwise both types of locks are the same	
in emergency, when you need to rush out th	Preferable in an emer	•	Preferable in ordinary circumstances.	•
ping out.	Take a key when stepping out.	•	Will not lock yourself out inadvertently.	•
Stepping outside: Closed door remains <u>locked</u> until you use the key (unless you've pushed the <u>release-button</u> in the lock's front/face p	Stepping outside: Closed door remains J you've pushed the <u>rel</u>	•	Stepping outside: Closed door remains <u>unlocked</u> until you use the key (unless you've pushed the <u>stop-button</u> in the lock's front/face plate).	•
Opening a closed door from inside with the deadbolt enga Can be opened with a single action by turning the doorkn	Opening a closed doo Can be opened with a	: •	Opening a closed door from inside with the deadbolt engaged: First disengage deadbolt with the thumb-turn, then turn doorknob.	•

Yes	Yes	Works with all trim options
Yes	No	Push release-button for re-entry without a key
No	Yes	Closed door remains unlocked after exit
Yes	No	Single Action Exit
Yes	Yes	Dependable Security

# With Egress

Locks Without Egress vs. Locks With Egress

Without Egress

- he doorknob. dbolt engaged:
- ey (unless ront/face plate).
- ush out the door.





**8840-16** Swivel spindle 3/8-16 threa **8846-20** Swivel spindle 3/8-20 threa Length: 3 1/2", width: 9/32" (7 mm) Steel, zinc plated *Available in two TPI specifications* 



**8843-20** Swivel spindle Length: 3 1/2", width: 5/16" (8 mm), 3/8-20 thread Steel, zinc plated

# Swivel spindles for privacy function

The two halves of the spindle rotate independently of each other - do not tighten them together all the way



**8837-20** Swivel spindle Length: 3 3/4", width: 9/32" (7 mm), 3/8-20 thread Steel, zinc plated



8838-20Swivel spindle9/32" (7mm) wide8778-20Swivel spindle5/16" (8 mm) wideLength:4", thread:3/8 - 20, zinc plated steelAvailable in two widths



**8770-20** swivel spindle 9/32" (7mm) wide Length: 4 1/2", thread: 3/8 - 20, zinc plated steel *A longer spindle for thicker doors*  **8842-20** Straight spindle Length: 3 1/4", width: 9/32" (7mm), 3/8-20 thread Steel, zinc plated

------

..................

-----

**8847-16** Straight spindle 3/8-16 thread **8850-20** Straight spindle 3/8-20 thread Length: 3 1/2", width: 9/32" (7 mm) Steel, zinc plated *Available in two TPI specifications* 

**8844-20** Straight spindle Length: 3 1/2", width: 5/16" (8 mm), 3/8-20 thread Steel, zinc plated

# Straight spindles for passage function

8839-20Straight spindle9/32" (7mm) wide8777-20Straight spindle5/16" (8 mm) wideLength: 4", thread: 3/8 - 20, zinc plated steelAvailable in two widths

For old doorknobs with square holes



8774Plain straight spindleLength:4 1/2", width: 9/32" (7mm), zinc plated steel

Door thickness range: from 1 3/8" to 2 1/2" Plain unthreaded spindle with 5 threaded holes for screws Comes with two 10-24 X 3/8" set screws (shown below)



**8775** set screws for plain spindles 10-24 thread, 3/8" long Oval head, Phillips, brass screws For old doorknobs with square holes and plain spindles (like #8874 shown above) Sold in bags of 20

........................

# 5.0

### Dummy spindles



Sold in pairs



Closet spindle for regular doors

8833-PB polished brass 8833-PL lacquered polished brass 8833-PN polished nickel 8833-BN brushed nickel 8833-OB oil rubbed bronze Spindle length: 2 1/2", 3/8"-20 thread Spindle width: 9/32" (7mm) Plate 1 1/2" dia. Solid brass and steel parts

polished brass

polished nickel

brushed nickel

Plate 1 1/2" dia.

Solid brass and steel parts

oil rubbed bronze

lacquered polished brass

Closet spindles with crescent knobs and small plain plates Can substitute other roses for the plate if so desired

8831-PB

8831-OB

8831-PN

Solid brass

8848-16

8849-20

Sold in pairs

1 3/16" tall

15/16" tall

Dummy spindles for rigid knobs Available in two TPI specifications

**8849-20-L** 1 1/2" tall

Width: 9/32" (7 mm) 1" base dia. Steel, zinc plated



Closet spindle for thicker doors



Thumb turn - can be removed from plate if needed for other applications.



Includes removable plug for center hole. Turn with spindle to be kept away

8832-PB polished brass 8832-PL lacquered polished brass 8832-PN polished nickel 8832-BN brushed nickel 8832-OB oil rubbed bronze Spindle: 3/16" wide, 1 1/4" long Oval plate: 1 3/16" X 1 3/4" Solid brass Crescent thumb turn for mortise lock deadbolt with stamped raised oval plate

polished brass

polished nickel

Oval plate 1 3/4" X 1 3/16"

Diameter of plug hole 3/8"

oil rubbed bronze

Crescent thumb turn with 3/16" square spindle

Outside release kit for locks and deadbolts




Sold in pairs

8776 Spindle converters 7 mm inside, 8 mm outside width 5/16" long Steel, zinc plated 2 shorter sleeves Use with knob-knob mortise lock

Converters enable a 9/32" spindle to operate snugly in a 5/16" hub







Nut for spindles

8662 Nut 3/8 - 20 TPI 5/8" dia., 3/16" high Steel, zinc plated For optional use with split doorknob spindles. By tightening the nut against the lock's hub it helps set the spindle in the lock

#8662 nut and #8703 converter sleeve shown on #8845-20-N split spindle for a single doorknob application



Split spindle

2-1/2" long (longer) 8845-20-N 8845-20-X 2-1/4" long (shorter) Width: 9/32" (7 mm), 3/8-20 thread Steel, zinc plated Split spindle without screw or holes

Split spindles for doorknobs with threaded round holes or square holes Used in conjunction with #8859 exterior trim with handle



8845-16 3/8-16 thread 8845-20 3/8-20 thread Length: 2 1/2", width: 9/32" (7 mm)

Steel, zinc plated Split spindles with screw and 3 holes Available in two TPI specifications





8773-20 9/32" (7 mm) wide 8772-20 5/16" (8 mm) wide Length: 2 3/8", thread: 3/8 - 20 Steel, zinc plated Half spindle - available in 2 widths

Half spindle

Half-spindles for doorknobs used in conjunction with #8857 and #8858 exterior trim with handle

### SPINDLES AND ACCESSORIES

3/8-16 thread

3/8-20 thread

3/8-20 thread

### ENTRY DOOR HANDLES -3 M



# Sectional outside trim

Exterior entrance door plates with handles and thumb pieces

For mortise locks with Knob-Handle function Come with square cylinder collars





8859-PB polished brass 8859-OB oil rubbed bronze 8859-PL lacquered polished brass 8859-BN brushed nickel 8859-PN polished nickel

Upper trim plate: 2 3/4" X 2 3/4" Lower trim plate: 2 3/16" X 2 3/16" Handle center to center holes: 6 9/16" Handle projection: 2 3/4"

Cylinder collar: 2 3/4" X 2 3/4" Solid brass Handle installed with machine screws from inside. Includes round brass caps to cover heads of screws. (Keyway cylinder sold separately)





This plate enables using a half-spindle with the knob on the in side of the door

8858-PB polished brass 8858-OB oil rubbed bronze 8858-PL lacquered polished brass 8858-BN brushed nickel 8858-PN polished nickel Upper trim plate: 2 3/4" X 3 3/4" Lower trim plate: 2 3/16" X 2 3/16" Handle center to center holes: 6 9/16" Handle projection: 2 3/4" Cylinder collar: 2 3/4" X 2 3/4" Solid brass Handle installed with machine screws from inside. Includes round brass caps to cover heads of screws. (Keyway cylinder sold separately)

8860-PB polished brass 8860-OB oil rubbed bronze 8860-PL lacquered pol. brass 8860-BN brushed nickel 8860-PN polished nickel

Collar plate: 2 3/4" X 2 3/4"

Cylinder hole dia.: 1 3/16" (1.185") Solid brass

Square collar plate for keyway cylinder can be ordered by themselves (Keyway cylinder sold separately)



8856-PB	polished brass
8856-OB	oil rubbed bronze
8856-PL	lacquered brass
8856-BN	brushed nickel
8856-PN	polished nickel

Screws, threaded washers and decorative brass caps used to install door handles can be ordered by themselves



# EXTERIOR ENTRY DOOR TRIM WITH HANDLES AND THUMB PIECES

For door sets with locks no. 96, 99, 06, 09



8859 Sectional exterior door trim Shorter upper plate, handle, Lower plate, cylinder collar

8858 Sectional exterior door trim Medium upper plate, handle, Lower plate, cylinder collar 8857 Non-sectional exterior door trim Longer upper plate, handle, Lower plate *Single escutcheon plate* 

Three entrance door handles. The handles are the same in all three, but they differ in the length of the upper plates. Available in 5 finishes: polished brass, lacquered polished brass, oil-rubbed bronze, polished nickel and brushed (satin) nickel. Combined with different knobs, roses, plates and locks, they offer a large variety of complete door trim sets.

See next two pages for details and specifications

20

# KEYWAY CYLINDERS AND THICK DOOR KITS



For doors with standard 1-3/4 " thickness (  $\pm 1/8$  ")

8900-PB polished brass 8900-PL lacquered brass 8900-OB oil rubbed bronze 8900-PN polished nickel 8900-BN brushed nickel Cylinder length: 1 1/8" (29 mm) Cylinder diameter: 1 1/8" (29 mm) Brass face Comes with 3 keys

Cylinders can be ordered by themselves when extra ones are needed



For 2" thick doors  $(\pm 1/8")$ 

8901-PB polished brass
8901-PL lacquered brass
8901-OB oil rubbed bronze
8901-BN brushed nickel
8901-PN polished nickel
Cylinder length: 1 1/4" (32 mm)
Cylinder diameter: 1 1/8" (29 mm)
Brass face
Comes with 3 keys

8902-PB polished brass

8902-PL lacquered brass8902-OB oil rubbed bronze8902-BN brushed nickel

8902-PN polished nickel

Brass face

Comes with 3 keys

Cylinder length: 1 3/8" (35 mm) Cylinder diameter: 1 1/8" (29 mm)

### Longer keyway cylinders for thicker doors



For 2-1/4" thick doors  $(\pm 1/8")$ 

Adds 3/16" to the distance of the cylinder from the door or from the plate





**8926-PB** polished brass **8926-OB** oil rubbed bronze Top outside diameter: 1 9/16" Bottom outside diameter: 1 3/4" Top inside diameter: 1 3/8" Bottom inside diameter: 1 3/16" Height: 7/16" Solid brass *Round collar for keyway cylinder* (*Keyway cylinder sold separately*)

Collar shown with keyway cylinder



For knob-knob and knob-handle sets

and 2 spindles: 4" and 4 1/2" *Stand-alone, sold by itself* 

Kit includes #8878 strike plate,

1 3/8" long keyway cylinder,



8746-PB 8746-PL 8746-PN 8746-BN 8746-OB

polished brass lacquered polished brass polished nickel brushed nickel oil rubbed bronze

2 1/4" dia. knobs Lower base dia.: 5/8" Solid brass Hollow core knobs

SOLID BRASS HOLLOW CORE OLD-STYLE DOORKNOBS Base bottom dia. (part that goes into hub): .625" (5/8") Set includes 2 knobs on a spindle and an Allen key for set screws Steel spindle 4" long, 9/32" (7 mm) wide, with 3/8-20 thread

Embossed lines pattern



8745-PB	polished brass
8745-PL	lacquered polished brass
8745-PN	polished nickel
8745-BN	brushed nickel
8745-OB	oil rubbed bronze
2 1/4" dia. 1	knobs
Lower base of	dia.: 5/8"
Solid brass	
Hollow core	knobs

Pressed glass knob with solid brass base Rim of brass base folds over base of glass knob for secure grip Silver under glass amplifies reflected light to show beautiful facets Set includes 2 knobs on a spindle and an Allen key for set screws Steel spindle 3-1/2" long, 9/32" (7 mm) wide, with 3/8-20 thread

Fluted glass knobs



8851-BN

brushed nickel base

Clear glass knob 2 1/4" dia.

CLEAR GLASS DOORKNOBS

Base bottom dia. (part that goes into hub): .625" (5/8")

8852-PB polished brass base 8852-PL lacquered polished brass base 8852-PN polished nickel base 8852-OB oil rubbed bronze base 8852-BN brushed nickel base


Clear glass knob 2" dia. Pressed glass knob with solid brass base

Round glass knobs





8853-PB polished brass base 8853-PL lacquered polished brass base 8853-PN polished nickel base 8853-OB oil rubbed bronze base 8853-BN brushed nickel base Clear glass knob 2" dia. Pressed glass knob with solid brass base



8755-PBpolished brass8755-PLlacquered polished brass8755-PNpolished nickel8755-BNbrushed nickel8755-OBoil rubbed bronze

Solid brass knob 2 1/4" dia. Lower base dia.: 5/8" Solid-core Embossed lines pattern



2.4

8754-PB 8754-PL 8754-PN 8754-BN 8754-OB polished brass lacquerd polished brass polished nickel brushed nickel oil rubbed bronze

Solid brass knob 2 1/4" dia. Lower base dia.: 5/8" *Solid-core* 



SOLID CORE BRASS DOORKNOBS Knobs are forged solid, not hollow, one-piece brass Base bottom dia. (part that goes into hub): .625" (5/8") Set includes 2 knobs on a spindle and an Allen key for set screws Steel spindle 4" long, 9/32" (7 mm) wide, with 3/8-20 thread

Ornate pattern



8752-PB	polished brass
8752-PL	lacquerd polished brass
8752-PN	polished nickel
8752-BN	brushed nickel
8752-OB	oil rubbed bronze
Solid brass k	mob 2 1/4" dia.

Solid brass knob 2 1/4" Lower base dia.: 5/8" Solid-core Egg & dart pattern



8753-PB	polished brass
8753-PL	lacquerd polished brass
8753-PN	polished nickel
8753-BN	brushed nickel
8753-OB	oil rubbed bronze
Solid brass l	knob 2 1/4" dia.
Lower base	dia.: 5/8"

Solid-core

### 



Can be used with any rose or plate in the catalog 8676-PB polished brass
8676-PL lacquered brass
8676-PN polished nickel
8676-BN brushed nickel
8676-OB oil rubbed bronze
2 1/4" dia.
Lower base dia.: 5/8"
For hubs with diameter from 5/8" to 3/4"
Spindle: 4" long, 9/32" (7mm) wide
Red oak knobs with solid brass bases
Sold in pairs with a steel spindle
Box style



This plate can also be used for entry door sets with knob-handle function (pairing with handles 8857, 8858, 8859)

5.5

8760-PBpolished brass8760-PLlacquered brass8760-PNpolished nickel8760-BNbrushed nickel8760-OBoil rubbed bronze3" wide , 10" high2 1/4" spacing (hub to thumb turn)Solid brass

With doorknob hub and thumb turn

Wood rose for door knob



2 1/8" dia. 3/4" hub dia. Red oak Red oak door roses Can be used with either of the wood knobs

8677

3" X 10" Wrought brass plain door trim 2 plate functions

Large complementary plates for entrance door mortise lock sets





8761-PB polished brass
8761-PL lacquered brass
8761-PN polished nickel
8761-BN brushed nickel
8761-OB oil rubbed bronze
3" wide, 10" high
3 7/16" (3.438") C to C spacing
Solid brass
For doorknob and keyway cylinder

(Cylinder sold separately)

This plate can also be used for entry door sets with knob-handle function (pairing with handles 8857, 8858, 8859)



12.0

8868-PBpolished brass8868-PLlacquered brass8868-PNpolished nickel8868-BNbrushed nickel8868-OBoil rubbed bronze2 1/2" wide , 8" high2 1/4" spacing (hub to thumb turn)Forged brassThumb turn with 3/16" spindleWith doorknob hub and thumb turn



This plate can be used with interior door mortise locks operated by skeleton keys

8865-PB polished brass
8865-PL lacquered brass
8865-PN polished nickel
8865-BN brushed nickel
8865-OB oil rubbed bronze
2 1/2" wide, 8" high
2 1/4" hub to keyhole spacing
Forged brass
With doorknob hub & keyhole

2 1/2" X 8" Forged brass plain door trim 4 plate functions

Large plates for mortise lock door sets

Large complementary plates for entrance door mortise lock sets



8869-PBpolished brass8869-PLlacquered brass8869-PNpolished nickel8869-BNbrushed nickel8869-OBoil rubbed bronze2 1/2" wide , 8" high3 7/16" (3.438") C to C spacingForged brass

For doorknob and keyway cylinder (Cylinder sold separately)



8862-PBpolished brass8862-PLlacquered brass8862-PNpolished nickel8862-BNbrushed nickel8862-OBoil rubbed bronze2 1/2"wide, 8" highForged brassWith doorknob hub

This plate can be used with interior door mortise locks or latches

5.4







8864-PB polished brass 8864-PL lacquered brass polished nickel 8864-PN 8864-BN brushed nickel 8864-OB oil rubbed bronze 2 1/4" wide, 7" high

Wrought brass With doorknob hub

8866-PB polished brass 8866-PL lacquered brass polished nickel 8866-PN 8866-BN brushed nickel 8866-OB oil rubbed bronze 2 1/4" wide, 7" high 2 1/4" spacing (hub to keyhole) Wrought brass With doorknob hub & keyhole





Ð

2.4

8764-B-PB polished brass 8764-B-PL lacquered brass 8764-B-PN polished nickel 8764-B-BN brushed nickel 8764-B-OB oil rubbed bronze 2 1/2" wide, 6 7/8" high Wrought brass With doorknob hub

8764-K-PB polished brass 8764-K-PL lacquered brass 8764-K-PN polished nickel 8764-K-BN brushed nickel 8764-K-OB oil rubbed bronze 2 1/2" wide , 6 7/8" high 2 1/4" spacing (hub to keyhole) Wrought brass With doorknob hub and keyhole

2 1/4" X 7" Wrought brass plain door trim plates 4 plate functions

2 1/2" X 6 7/8"
Wrought brass trim plates with indented line pattern
4 plate functions



8867-PB polished brass 8867-PL lacquered brass 8867-PN polished nickel 8867-BN brushed nickel 8867-OB oil rubbed bronze 2 1/4" X 7"

 $2\,$  1/4" spacing (hub to thumb turn) Wrought brass Thumb turn with 3/16" spindle

With doorknob hub and thumb turn



8863-PB	polished brass	
8863-PL	lacquered brass	
8863-PN	polished nickel	
8863-BN	brushed nickel	
8863-OB	oil rubbed bronze	
2 1/4" wide, 7" high		
<b>3</b> 7/16" (3.438") C to C spacing		

3 Wrought brass For doorknob and keyway cylinder (Cylinder sold separately)



8734-PB	polished brass	
8734-PL	lacquered brass	
8734-PN	polished nickel	
8734-BN	brushed nickel	
8734-OB	oil rubbed bronze	
2 1/2" wid	e, 6 7/8" high	
2 1/4" space	cing (hub to thumb turn)	
Heavy gauge wrought brass		
Thumb turn	with 3/16" spindle	
With doorknob hub and thumb-turn		



8733-PB polished brass 8733-PL lacquered brass polished nickel 8733-PN 8733-BN brushed nickel 8733-OB oil rubbed bronze 2 1/2" wide, 6 7/8" high 3 7/16" (3.438") spacing Wrought brass For doorknob and keyway cylinder Cylinder sold separately

R. C.





8767-B-PB	polished brass	
8767-B-PL	lacquered brass	
8767-B-PN	polished nickel	
8767-B-BN	brushed nickel	
8767-B-OB	oil rubbed bronze	
2 1/2" wide,	7" high	
Wrought brass		
With doorknob hub		

8767-K-PBpolished brass8767-K-PLlacquered brass8767-K-PNpolished nickel8767-K-BNbrushed nickel8767-K-OBoil rubbed bronze2 1/2" wide , 7" high2 1/4" spacing (hub to keyhole)Wrought brassWith doorknob hub and keyhole

2 1/2" X 7" Wrought brass trim plates with egg & dart pattern 4 plate functions



8762-B-PB polished brass
8762-B-PL lacquered brass
8762-B-PN polished nickel
8762-B-OB oil rubbed bronze
2 3/8" wide
8 1/2" high
(2 3/4" at widest)
Wrought brass
With doorknob hub



8762-K-PL lacquered brass
8762-K-PN polished nickel
8762-K-BN brushed nickel
8762-K-OB oil rubbed bronze
2 3/8" wide , 8 1/2" high
(2 3/4" at widest)
2 1/4" spacing (hub to keyhole)
Wrought brass
With doorknob hub and keyhole

Wrought brass trim plates with ornate patterns 2 plate functions



8768-PB	polished brass
8768-PL	lacquered brass
8768-PN	polished nickel
8768-BN	brushed nickel
8768-OB	oil rubbed bronze
_	

 $2 \ \mbox{l/2"}$  wide ,  $\ \mbox{7"}$  high

2 1/4" spacing (hub to thumb turn) Wrought brass

Thumb turn with 3/16" spindle *With doorknob hub and thumb-turn* 



8769-PB polished brass
8769-PL lacquered brass
8769-PN polished nickel
8769-BN brushed nickel
8769-OB oil rubbed bronze
2 1/2" wide , 7" high
3 7/16" (3.438") spacing
Wrought brass

For doorknob and keyway cylinder Cylinder sold separately



8763-B-PB polished brass
8763-B-PL lacquered brass
8763-B-PN polished nickel
8763-B-BN brushed nickel
8763-B-OB oil rubbed bronze
2 3/8" wide
7 5/8" high
Wrought brass
With doorknob hub



8763-K-PB polished brass
8763-K-PL lacquered brass
8763-K-PN polished nickel
8763-K-BN brushed nickel
8763-K-OB oil rubbed bronze
2 3/8" wide , 7 5/8" high
2 1/4" spacing (hub to keyhole)
Wrought brass
With doorknob hub and keyhole

5



22

8677

Diameter: 2 1/8" Hub diameter: 3/4" Center to center: 1 1/2" Red oak *Red oak door roses* 

### Wood doorknob rose



8740-PBpolished brass8740-PLlacquered brass8740-PNpolished nickel8740-BNbrushed nickel8740-OBoil rubbed bronzeDiameter: 2''Hub diameter: 3/4''Forged brassPlain



8870-PB polished brass
8870-PL lacquered polished brass
8870-PN polished nickel
8870-BN brushed nickel
8870-OB oil rubbed bronze
Diameter: 2"
Hub diameter: 3/4"
Stamped brass
Traditional design with 3 holes for screws

2" diameter

### Wrought (stamped) brass doorknob roses



8871-PB polished brass
8871-PL lacquered polished brass
8871-PN polished nickel
8871-BN brushed nickel
8871-OB oil rubbed bronze
Diameter: 2 1/4"
Hub diameter: 5/8"
Stamped brass
Traditional design with 3 holes for screws

2 1/4" diameter



8876-PBpolished brass8876-PNpolished nickel8876-BNbrushed nickel8876-OBoil rubbed bronze8876-PLlacquered brassDiameter: 2 1/2"Hub diameter: 11/16"Center to center: 1 1/2"Forged brassHexagonal doorknob rose



8741-PB polished brass
8741-PL lacquered brass
8741-PN polished nickel
8741-BN brushed nickel
8741-OB oil rubbed bronze
Diameter: 2 1/4"
Hub diameter: 3/4"
Center to center: 1 3/4"
Forged brass
Indented lines pattern

Forged brass doorknob roses







8743-PB polished brass
8743-PL lacquered brass
8743-PN polished nickel
8743-BN brushed nickel
8743-OB oil rubbed bronze
Diameter: 2 3/16"
Hub diameter: 3/4"
Center to center: 1 11/16"
Forged brass *Floral pattern*

Forged brass doorknob rose





8873-A-PB polished brass
8873-A-PL lacquered polished brass
8873-A-PN polished nickel
8873-A-BN brushed nickel
8873-A-OB oil rubbed bronze
Diameter: 2 3/4"
Hub dia.: 5/8"
Center to center: 1 5/8"
Forged brass
Includes wood screws
Privacy function

polished brass

polished nickel

brushed nickel

oil rubbed bronze

lacquered polished brass

## Privacy function

8873-C-PB

8873-C-PL

8873-C-PN

8873-C-BN

8873-C-OB

Hub dia.: 5/8"

Forged brass

Privacy function

Diameter: 2 3/4"

Center to center: 1 5/8"

Includes machine screws



With threaded shanks

Solid brass forged doorknob roses 2 3/4" diameter 5/8" hub dia. Complementary roses for privacy or passage function Can be used on standard pre-drilled doors



8873-B-PB polished brass
8873-B-PL lacquered polished brass
8873-B-PN polished nickel
8873-B-BN brushed nickel
8873-B-OB oil rubbed bronze
Diameter: 2 3/4"
Hub dia.: 5/8"
Center to center: 1 5/8"
Forged brass
Includes wood screws
Passage funcion

# Passage function



8873-D-PB polished brass 8873-D-PL lacquered polished brass 8873-D-PN polished nickel 8873-D-BN brushed nickel 8873-D-OB oil rubbed bronze Diameter: 2 3/4" Hub dia.: 5/8" Center to center: 1 5/8" Forged brass Includes machine screws Passage funcion



# 8874-B-PB polished brass 8874-B-PL lacquered polished brass 8874-B-PN polished nickel 8874-B-BN brushed nickel 8874-B-OB oil rubbed bronze Diameter: 3 1/4" Hub dia.: 5/8" Center to center: 2 9/16" Forged brass Extra large rose Passage function

Plain



8874-A-PB polished brass 8874-A-PL lacquered polished brass 8874-A-PN polished nickel 8874-A-BN brushed nickel 8874-A-OB oil rubbed bronze Diameter: 3 1/4" Hub dia.: 5/8" Center to center: 2 9/16" Forged brass Extra large rose Privacy function

Solid brass forged doorknob roses 3 1/4" diameter 5/8" hub dia. For privacy or passage functions Can be used on standard pre-drilled doors



8875-B-PBpolished brass8875-B-PLlacquered polished brass8875-B-PNpolished nickel8875-B-BNbrushed nickel8875-B-OBoil rubbed bronzeDiameter: 3 1/4"Hub dia.: 5/8"Center to center: 2 7/8"Forged brassPassage function

Beaded




8875-A-PB polished brass
8875-A-PL lacquered polished brass
8875-A-PN polished nickel
8875-A-BN brushed nickel
8875-A-OB oil rubbed bronze
Diameter: 3 1/4"
Hub dia.: 5/8"
Center to center: 2 7/8"
Forged brass
Privacy function

With threaded shanks

# HOW TO ORDER ENTRY DOOR LOCK SETS

# Select lock: 1.

520



### 2. Select door knob:



8754 Solid core brass



8755 Solid core brass



8752 Solid core brass



8753 Solid core brass



8746 Hollow core brass



8745 Hollow core brass



8851 Glass






8852 Glass



8853 Glass




- 8761 Plain larger Plain largest
- Indented line Plain Egg & Dart

Sectional


Select the finish: 5.

Polished Brass (PB), Lacquered Polished Brass (PL), Oil-rubbed Bronze (OB), Polished Nickel (PN), Brushed Nickel (BN)

Complete stock number format for set: 6. [Lock]-[Knob]-[Inside Trim]-[Outside Trim]-[Finish]



# SPECIFYING ENTRY MORTISE LOCK SETS BY TRIM OPTIONS



## TUBULAR DOOR LATCHES





8891-PB polished brass

8891-PN polished nickel

8891-BN brushed nickel

8891-AB antique brass

8891-AP antique pewter

8891-PL lacquered brass

8891-PC polished chrome

Strike plate 2 1/4" X 1 3/4"

Face plate 2 1/4" X 1"

2 3/8" backset

8891-OB oil rubbed bronze

12.0

Passage latch



24

8892-A-PB polished brass
8892-A-PN polished nickel
8892-A-OB oil rubbed bronze
8892-A-BN brushed nickel
8892-A-AB antique brass
8892-A-PL lacquered brass
8892-A-PC polished chrome
2 3/8" backset
Face plate 2 1/4" X 1"
Strike plate 2 1/4" X 1 3/4"
With solid brass privacy pin

Tubular door latches for both left & right hand doors Die cast with solid brass plates and pins Star-shaped hub accepts 7mm and 8mm spindles Fit in a 1" diameter hole

2 3/8" backset (standard)

Latches are equipped with

2-1/8" dia. alignment blocks

for use in pre-drilled holes



8903-PBpolished brass8903-PLlacquered brass8903-PNpolished nickel8903-BNbrushed nickel8903-OBoil rubbed bronze2 3/4" backsetFace plate:2 1/4" X 1"

Face plate:  $2 \frac{1}{4}$  X I Strike plate:  $2 \frac{1}{4}$  X I  $\frac{3}{4}$  2 3/4" backset Includes dust box Privacy latch




8904A-PBpolished brass8903-PLlacquered brass8904A-PNpolished nickel8904A-BNbrushed nickel8904A-OBoil rubbed bronze2 3/4" backsetFace plate: 2 1/4" X 1"Strike plate: 2 1/4" X 1 3/4"With solid brass privacy pin

Guide for choosing complete lock sets in next two pages

# HOW TO ORDER DOOR LATCH SETS

- 1. Select the function of the set:
  - A privacy B passage D dummy
- 2. Select latch (for privacy or passage function only):



3. Select door knobs:



12.0

8746 Hollow core brass



8745 Hollow core brass



8752 Solid core brass



8753 Solid core brass



8754 Solid core brass



8755 Solid core brass



8676 Oak



8678 Oak



8851 Glass



8852 Glass



8853 Glass



### Select the trim: 4.

For privacy function - #8873, #8874, #8875 (large forged roses with holes for privacy pins)





8874






8875





Select the finish: Polished Brass (PB), Lacquered Polished Brass (PL), 5. Oil-rubbed Bronze (OB), Polished Nickel (PN), Brushed Nickel (BN)

# Final stock number format for door sets: [Function]-[Latch]-[Knobs]-[Roses]-[Finish] No latch for dummy sets



Privacy





Passage

Dummy



Operated by doorknobs and thumb-turn



8919-PB polished brass 8919-OB oil rubbed bronze polished nickel 8919-PN Spacing: 2 1/4" Unit includes a strike plate and a thumb-turn



Operated by doorknobs and keys

5.4

8921-PB polished brass 8921-OB oil rubbed bronze 8921-PN polished nickel Spacing: 2 3/16"

Unit includes a strike plate and 2 keys



8831-PB polished brass 8831-OB oil rubbed bronze 8831-PN polished nickel Oval plate 1 3/4" X 1 3/16" Diameter of plug hole 3/8" Crescent thumb turn with 3/16" square spindle Solid brass Outside release kit for locks and deadbolts

Mortise locks for interior doors. Model 8921 - deadbolt is operated by a key Model 8919 - deadbolt is operated by a thumb-turn Dimensions: 2 1/2" backset


Case: 3 1/8" X 3 5/8" X 9/16"

Face plate: 15/16" X 5 1/4" X 1/8" thick Star-shaped doorknob hub accepts two spindle widths: 9/32" (7 mm) and 5/16" (8mm) Wrought steel case with steel inner parts Black japaned case Solid brass face plate, latch and bolt in 3 finishes Reversible for right- and left-hand doors

# Authentic old style tumbler locks with japanned cases for interior doors available in 3 face-plate finishes.

Add any doorknobs, keyholes, roses and trim plates (sold separately) to form complete door sets.

22





Shown with inside trim



C8923-PBpolished brassC8923-OBoil rubbed bronzeC8923-PLlacquered brassC8923-PNpolished nickelC8923-BNbrushed nickelC8923-BNsyndle: 3/16"

Rosettes' diameter: 1 5/8" Door thickness range: 1 3/8" - 1 3/4" Solid brass Operating mechanism by itself - sold each

Thumb-turn and emergency release slot unit for operating deadbolt (shown on far right) or mortise lock (shown here). Mortise lock sold separately.



*Heavy duty tubular deadbolt operated with thumb turn only* 



Set includes face plate, strike plate, dust box and crescent thumb-turn. For right- and left-hand doors.

from inside and emergency release slot from outside Room side Hall side 8923-PB polished brass 8923-OB oil rubbed bronze 8923-PL lacquered brass 8923-PN polished nickel brushed nickel 8923-BN Latch backset: 2 3/8" Latch tube diameter: 1" Square hub for thumb turn: 3/16" Face plate: 1" X 2 1/4" Strike plate: 1 1/8" X 2 3/4" Rosettes' diameter: 1 5/8" Door thickness range: 1 3/8" - 1 3/4" Deadbolt made of brass and other materials Solid brass plates, thumb turn and slot trim parts

Heavy duty tubular deadbolt operated with thumb-turn

2.

Set includes face plate, strike plate, dust box, crescent thumb-turn and emergency release slot. For right- and left-hand doors.

Heavy duty tubular deadbolt operated with thumb-turn from inside and emergency release slot from outside



Hall side

8922-PB polished brass
8922-OB oil rubbed bronze
8922-PN polished nickel
Latch backset: 2 3/8"
Latch tube diameter: 1"
Square hub for thumb turn: 3/16"
Face plate: 1" X 2 1/4"
Strike plate: 1 1/8" X 2 3/4"
Deadbolt made of brass and other materials
Solid brass plates and thumb turns

Set includes a thumb-turn on the inside and a plate with a removable plug on the outside. It also includes face plate, strike plate, dust box and an additional thumb-turn for emergency release. For right- and left-hand doors.





**8885-PB** polished brass **8885-PL** lacquered pol. brass **8885-PN** polished nickel **8885-BN** brushed nickel **8885-OB** oil rubbed bronze 1 1/8" X 2 3/4" Overall width at lip: 1 9/16" Center to lip: 1" Solid brass "T" strike plate For doors up to 1 1/2" thick For left-hand and right-hand doors



8880-PB polished brass8880-PL lacquered pol. brass

5.

 8880-PN
 polished nickel

 8880-BN
 brushed nickel

 8880-OB
 oil rubbed bronze

 1 3/16"
 X
 6"

Overall width at lip: 1 7/8" Center to lip: 1 1/4" Solid brass Exterior door strike plate For doors up to 2" thick For left-hand and right-hand doors



8887-PB polished brass
8887-PL lacquered brass
8887-OB oil rubbed bronze
8887-PN polished nickel
8887-BN brushed nickel
15/16" X 3 13/16"

Overall wide at lip: 17/16" Center to lip: 15/16" Solid brass Door strike plate For doors up to 17/8" thick For left-hand and right-hand doors

# Strike plates for doors



8881-PB polished brass lacquered pol. brass 8881-PL 8881-PN polished nickel 8881-BN brushed nickel 8881-OB oil rubbed bronze 15/16" X 4 3/8" Overall width at lip:  $1 \ 1/2$ " Center to lip: 1 1/16" Solid brass Door strike plate For doors up to  $1 \ 3/4$  " thick For left-hand and right-hand doors

# Website: www.timelyhardware.com



8879-PB polished brass
8879-PL lacquered pol. brass
8879-PN polished nickel
8879-BN brushed nickel
8879-OB oil rubbed bronze
1 1/4" X 4 7/8"
Overall width at lip: 2 1/4"
Center to lip: 1 5/8"
Solid brass

*Mid-size extended lip strike plate for doors up to 2 1/2" thick* 

Extended lip strike plates For both left-hand and right-hand doors



8878-PBpolished brass8878-PLlacquered pol. brass8878-OBoil rubbed bronze8878-BNbrushed nickel8878-PNpolished nickelFrame: 11/4" X 4 7/8"Overall width at lip: 2 7/8"Center to lip: 21/4"Solid brass

Large extended lip strike plate for doors up to  $3 \frac{1}{2}$  thick

### *Large, heavy duty strike plate Designed to fit all exterior mortise locks*

5.



8836-PB polished brass 8836-PL lacquered polished brass 8836-PN polished nickel 8836-BN brushed nickel 8836-OB oil rubbed bronze 1 1/8" X 1 5/8" Stamped brass Door keyhole plate - oval

polished brass

brushed nickel

Door keyhole plate - rectangular

oil rubbed bronze

lacquered polished brass polished nickel

8835-PB


8835-PL


8835-PN

8835-BN

8835-OB

1 1/4" X 1 3/4" Stamped brass





Shown on door latch

alignment block for tubular door latches 8884 2 1/8" dia.

Plastic, black

This piece - part of our standard door latch sets - is used to stabilize the latch in the door. With a diameter of 2-1/8" it fits snugly in the standard pre-drilled holes on the faces of doors. And in its turn, the latch sits snugly inside it.

# ACCESSORIES FOR DOOR LATCH SETS



8726-PB polished brass 8726-PL 8726-PN polished nickel 8726-BN brushed nickel 8726-OB oil rubbed bronze 1 1/16" X 1 3/4" Forged brass Door keyhole plate

lacquered polished brass



Skeleton key for door locks will operate most bit-key locks on the market

8730-PB 8730-PN 3 1/8" total length Bit is 3/8" X 3/8" High tensile forged brass

Brass polished brass polished nickel Adapter ring for doorknob or door rose - increases the doorknob's base diameter by 1/16" or decreases the rose's hub diameter by 1/16". For optional use with roses #8740, #8741 and #8743.

8660-PB

8660-OB

8660-PN

8660-BN



Threaded for 8-32 TPI



Total length: 2 3/8" Length of threaded area: 1 3/4" 8-32 TPI Stainless steel, with slotted drive Replacement screws for vintage mortise locks Sold in pairs

6685-SS

*Replacement screws for entrance door mortise locks can be cut to* length as needed. We offer the untapped screws as different vintage lock manufacturers used different TPIs. Order them and tap your own.



polished brass


polished nickel

brushed nickel

Outer diameter: 3/4" (.714") Inner diameter: 5/8" (.618")

oil rubbed bronze

Thickness: 1/16" (.05"), height: 5/32" (.15")




8779 Steel, zinc plated Alignment tool for door trim

Consisting of 2 cones on a spindle, this simple but effective tool is used for aligning and marking holes of door plates and roses for accurate installation

SCREEN DOOR HARDWARE

24



# Screen door hinges





Powerful springs avoid pinching

8506-PBpolished brass8506-ABantique brass8506-PLlaquered brass8506-PNpolished nickel8506-BNbrushed nickel8506-OBoil rubbed bronze21/4" wide

2 3/4" high (without ball tips) Brass

*Full-surface hinge with a concealed spring For screens and other self-closing doors* 

# Full-surface



Small

Sold in pairs

8509-PBpolished brass8509-ABantique brass8509-PNpolished nickel8509-BNbrushed nickel8509-OBoil rubbed bronze13/4" wide13/4" leaf heightSteelScreen door hinge with springSold in pairs

Powerful springs - avoid pinching

### SCREEN DOOR HARDWARE



polished brass 8501-PL lacquered brass 8501-AB antique brass 8501-BN brushed nickel 8501-PN polished nickel 8501-OB oil rubbed bronze Case: 2" X 2 1/4" X 5/8" Lever: 1 3/4" long, 2" projection Knob: 1 3/4" dia., 2" projection Door plate: 1 3/8" X 3" Angle strike: 1 3/4" long , 7/16" wide , 13/16" high Solid brass with steel spindle

#### With lever inside and knob outside

Stop button can lock latch in either position For door thickness from 7/8" to 1 3/4" For right- and left-handed doors Comes with reverse bevel and an angle strike - bevel is reversible Includes hex key for set-screws



**S503-PL** lacquered brass **S503-PL** lacquered brass **S503-PN** polished nickel **S503-OB** oil rubbed bronze 1-3/4" backset Latch tube 2-5/8" long, 5/8" dia. Lever: 2" long, 2" projection Knob: 1 3/4" dia., 2" projection Rosettes: 1 7/8" dia. Strike: 1-3/4" wide Brass and some steel parts

With lever inside and knob outside

Latch can be locked from inside For door thickness from 7/8" to 1 5/8" For right- and left-handed doors



Latch shown with box strike

8502-PB

8502-PL

## 0

Optional:

box strike

for screen latch 8502-AB antique brass
8502-BN brushed nickel
8502-PN polished nickel
8502-OB oil rubbed bronze
2 1/4" long, 5/8" wide, 5/8" high
Solid brass
Box strike for the screen door latch shown above .
sold by itself.
Requires changing the latch from reverse bevel to STANDARD bevel .

polished brass

lacquered brass

#### Screen door latches


#### Mortise Bolt

For doors, windows, sashes etc. Right or left






**8505-PB** polished brass 1-3/4" backset Latch tube 2-1/2" long, 9/16" dia. Oval knob: 1" long , 7/8" projection Oval plate: 1" X 1 3/4" Strike: 1 3/4" X 7/8" Finish: polished brass (not lacquered) Steel and zinc alloy components



Heavy duty surface bolts for windows, French windows and doors In 3 lengths and 5 finishes 1/2" dia. half rod - 1 3/8" wide brackets (stays) - 3/4" dia. knob





6" long


8721-PB polished brass 8721-AB antique brass 8721-PN polished nickel 8721-BN brushed nickel 8721-OB oil rubbed bronze 6" long Half rod: 1/2" dia. Guide brackets: 1 3/8" wide 3/4" knob dia. Solid brass Surface bolt with 2 strikes



9" long

8722-AB antique brass
8722-PN polished nickel
8722-BN brushed nickel
8722-OB oil rubbed bronze
9" long
Half rod: 1/2" dia.
Guide brackets: 1 3/8" wide
3/4" knob dia.
Solid brass
Surface bolt with 2 strikes

polished brass





#### Door hinges

4" X 4"

3 1/2" X 3 1/2"



8781-PL lacquered pol. brass polished nickel 8781-PN 8781-BN brushed nickel 8781-OB oil rubbed bronze 3 1/2" X 3 1/2" 135 gauge Ball tips: 9/16" dia. Steel #10 X 1" screws Sold in pairs Architectural grade



8782-PL lacquered pol. brass 8782-PN polished nickel 8782-BN brushed nickel 8782-OB oil rubbed bronze 4" X 4" 135 gauge Ball tips: 9/16" dia. Steel #12 X 1-1/4" screws Sold in pairs Architectural grade



Solid brass

For sashes, windows, tambour drops, etc.

## sash





Ð

24

1573-PB	polished brass	
1573-PL	lacquered brass	
1573-AB	antique brass	
1573-BN	brushed nickel	
1573-PN	polished nickel	
1573-OB	oil rubbed bronze	
Frame: 1	3/4" X 7/8"	
Wrought b	rass	
With beveled edges		

#### SASH WINDOW LIFTS

#### Recessed sash lift



8812-PB	<b>8812-PB</b> polished brass	
8812-PL	lacquered brass	
8812-PN	polished nickel	
8812-BN brushed nickel		
8812-OB oil rubbed bronze		
<b>8812-AB</b> antique brass		
3 1/8" X	1 5/8"	
Recessed a	rea: 2 1/2" X 1"	
Wrought bi	rass	
With bevele	ed edges	



Regular size



8810-PB polished brass 8810-PL lacquered polished brass 8810-AB antique brass 8810-PN polished nickel 8810-BN brushed nickel 8810-OB oil rubbed bronze Latch base: 2 1/2" X 7/8" Catch base: 2 1/2" X 9/16" Solid brass Sash window lock Regular size for standard windows With rounded bases

Larger size



<b>8710</b>	-PB	polished brass
8710	-PL	lacquered polished brass
8710-	-AB	antique brass
8710-	-PN	polished nickel
8710	-BN	brushed nickel
8710-	-OB	oil rubbed bronze
Latch	base:	2 7/8" X 1"
Strike	e base	: 2 7/8" X 5/8"
Solid	brass	
Sash	windo	w lock
Large	er size	for larger windows
With	round	ed bases

#8810 sash lock shown with #8813 strike



Hardware for sash (double hung) windows

Regular size



8813-PBpolished brass8813-PLlacquered polished brass8813-ABantique brass8813-PNpolished nickel8813-BNbrushed nickel8813-OBoil rubbed bronze2 1/2" X1"Solid brassSash lock strike

An alternative way to secure a double-hung window, this simple flat strike can be used with sash locks 8810 and 8708. Ordered by itself



8708-PB polished brass
8708-PL lacquered polished brass
8708-AB antique brass
8708-PN polished nickel
8708-BN brushed nickel
8708-OB oil rubbed bronze
Latch base: 2 1/2" X 1"
Strike base: 2 1/2" X 7/16"

Solid brass Sash window lock Regular size for standard windows With square bases Narrow strike

520



8809-PBpolished brass8809-PLlacquered polished brass8809-OBoil rubbed bronze8809-PNpolished nickel8809-BNbrushed nickel7/16" wide , 2 1/2" longSolid brassA narrow replacement strike for #8810sash locks used where the window sealwill not accept a regular strike





*Comes with a 1/16" thick base plate to adjust the height of the strike as needed* 



comes with 3 strikes so sash window can be secured at 3 opening levels



Spring loaded bolt can be kept retracted



	2
1	
2	6
SE	

8709-PB polished brass
8709-PL lacquered brass
8709-AB antique brass
8709-PN polished nickel
8709-BN brushed nickel
8709-OB oil rubbed bronze
Latch base: 1 7/8" X 1 1/8"
Strike base: 1 7/8" X 3/4"

Spring loaded sash lock and lift, made of bronze for added strength, in 6 finishes 8716-PBpolished brass8716-ABantique brass8716-PLlacquered brass8716-PNpolished nickel8716-BNbrushed nickel8716-OBoil rubbed bronzeCase:1 3/16" X 1 1/4"Bolt:2 1/4" long , 5/16" dia.Solid brassComes with 3 strikes

## Hardware for sash (double hung) windows

For mounting wood molding strips on the frame to retain and align inner sash windows

Will lock sash window at any position and prevent window from rattling



Ŷ

polished brass 8808-PB 8808-AB antique brass 8808-PL lacquered brass polished nickel 8808-PN 8808-BN brushed nickel 8808-OB oil rubbed bronze Stop plate: 1 5/8" long Lever: 2 1/4" long Solid brass Side sash lock



8707-PB polished brass 8707-AB antique brass 8707-PL lacquered brass polished nickel 8707-PN 8707-BN brushed nickel 8707-OB oil rubbed bronze Cup washers fit in an 11/16" bore Permit 1/8" sideways adjustment Steel Stop bead adjusters Sold in pairs

#### 



5.4

R.H.



# 8713-PBpolished brass8713-PNpolished nickel8713-BNbrushed nickel8713-OBoil rubbed bronzeLatch base: 3/4"X21/2"Solid brassRight HandWith lever handle





8811-PBpolished brass8811-PLlacquered brass8811-ABantique brass8811-PNpolished nickel8811-BNbrushed nickel8811-OBoil rubbed bronzeLatch base:7/8" X 1 9/16"Solid brassStandard size

L.H.



8714-PB polished brass
8714-PN polished nickel
8714-BN brushed nickel
8714-OB oil rubbed bronze
Latch base: 3/4" X 2 1/2"
Solid brass
Left Hand
With lever handle

Casement window latch in 2 sizes Comes with 3 strikes: Surface, Mortise, Rim Reversible for right or left hand window

Casement window latches Come with 2 strikes: Mortise and Rim For left-Hand or right-hand windows



8712-PBpolished brass8712-PLlacquered brass8712-PNpolished nickel8712-BNbrushed nickel8712-OBoil rubbed bronzeLatch base:1 1/16" X 1 9/16"Solid brassCasement window latch with ringhandle ,reversible for right or left.Comes with 2 strikes: Mortise, Rim



<b>8711-PB</b> p	olished brass
8711-PL la	acquered brass
8711-AB a	ntique brass
<b>8711-PN</b> p	olished nickel
<b>8711-BN</b> b	rushed nickel
8711-OB o	il rubbed bronze
Latch base: 1 1/8" X 2" Solid brass Larger version for larger windows	


12.0



**8790-PN** polished nickel **8790-BN** brushed nickel **8790-OB** oil rubbed bronze Rod: 10" long, 3/8" dia. Plates: 2 3/8" X 1" Solid brass 5.

#### Casement window hardware

Authentic replicas of old style window adjusterS with knurled knob and beveled base plates A short plastic sleeve encased in the assembly prevents marks on the rod Reversible for right or left-hand windows opening out





Well-made shutter bolts designed to minimize rattle Steel - the lower price alternative Stainless steel - premium quality 9725-BK Bolt 6 3/4" long Bolt base: 7 1/4" X 2" Strike base: 3 1/2" X 2" Steel Flat black 5.



Premium quality stainless steel shutter bolt

**9720-BK** Bolt 6 3/4" long Bolt base: 7 1/4" X 2" Strike base: 3 1/2" X 2" Stainless Steel Flat black



S-Scroll Shutter Fasteners (Shutter dogs) Can be used in wood or brick Reversible for right or left

8802-BK 8 1/4" high Cast iron, flat black With 4 3/8" long lag screw



Smaller

8801-BK 5 3/4" high Cast iron, flat black With 4 3/8" long lag screw





Ornate

Shutter bars, reversible for right and left hands



Plain

**8816-PB** polished brass **8816-PL** lacquered brass **8816-PN** polished nickel **8816-OB** oil rubbed bronze Bases: 7/8" X 1 3/4" Bar: 2 1/4" long Solid brass

8815-PB polished brass

**8815-PL** lacquered brass **8815-PN** polished nickel **8815-OB** oil rubbed bronze Bases: 1" X 1 7/8" Bar: 2 1/2" long Solid brass For sashes hung flush with the casing or set out of the casing



**1529-BK** 3/4" wide (1-1/4" at widest) Steel bar, painted black *Heavy duty hangers for heavier storm windows and screens Sold in pairs* 

#### Storm Sash / Window Screen Hangers



**5673** 1" dia. 7/8" projection White porcelain *I woodscrew* + *1 machine screw* 

White porcelain knobs with 2 brass plated screws Screw goes through the center of the knob Install with either the screw or the bolt For shutters, pictures, drawers etc.



**5674** 1 1/4" dia. 1" projection White porcelain *1 woodscrew* + 1 machine screw



Good Hardware at Good Prices For sashes set in beyond the face of the casing (offset)





**1530-ZP** 2" wide Stamped steel, zinc plated *Sturdy hangers for storm windows and screens Sold in pairs* 



**1615-BK** 1 7/8" long

1 //8 tong Cast iron, painted black Japanned turn buttons for storm screens, sash windows, cupboards etc. Sold in pairs

#### TRANSOM WINDOW HARDWARE 20



Screws in the brackets enable changing length of chain



8803-PL lacquered pol. brass 8803-BN brushed nickel 8803-OB oil rubbed bronze 8803-PN polished nickel Chain length up to 15" Bases: 1" X 1 1/2" Solid brass bases, steel chain Chain length is adjustable

8705-PB polished brass 8705-PL lacquered brass 8705-PN polished nickel 8705-BN brushed nickel oil rubbed bronze 8705-OB Base of latch: 1 7/8" X 1 1/8" Base of box strike: 1 7/8" X 7/16" Base of universal strike: 1 1/2" X 11/16" Forged brass Small transom latch with regular bevel Comes with 2 strikes





8804-PB polished brass brushed nickel 8804-BN 8804-OB oil rubbed bronze polished nickel 8804-PN 12" long chain Bases: 1" X 1 1/2" Steel bases, steel chain



Can be used with latch #8806, shown below, instead of the flat strike that comes with it

#### polished brass lacquered brass polished nickel brushed nickel 8706-OB oil rubbed bronze Base of strike: 2 1/8" X 9/16" Solid brass Box strike for large transom latch Sold by itself



8805-PB polished brass 3 3/4" long 7/8" dia. pole hole Solid brass With 2 screws Pull down hook for transom latches (pole not included)



Transom window hardware

Large

When in use

8807-PB polished brass 1 3/16" X 2 3/8" Solid brass Handy transom pole hanger



When not in use



8806-PB polished brass 8806-PL lacquered polished brass 8806-PN polished nickel 8806-BN brushed nickel 8806-OB oil rubbed bronze Latch base: 2 1/8" X 1 1/2" Solid brass Large transom latch with regular bevel

Comes with a universal (flat) strike

Can be used with #8706 box strike (shown above), sold separately

#### 8706-PB 8706-PL 8706-PN 8706-BN

Latch #8806 shown with strike #8706



8780-PL

8780-PN

8780-BN

8780-OB 3" X 3"

98 gauge

Steel #9 X 1" screws Sold in pairs Architectural grade

Ball tips: 1/2" dia.

For doors or large windows



#### 3 1/2" X 3 1/2"



8781-PL lacquered pol. brass 8781-PN polished nickel brushed nickel 8781-BN 8781-OB oil rubbed bronze 3 1/2" X 3 1/2" 135 gauge Ball tips: 9/16" dia. Steel #10 X 1" screws Sold in pairs Architectural grade

lacquered pol. brass

polished nickel

brushed nickel

oil rubbed bronze

#### 2 1/2"




Smaller Parliament hinge for cabinets with clearance



8817-PB polished brass 8817-PN polished nickel 8817-BN brushed nickel 8817-OB oil rubbed bronze 2 1/2" X 1 3/4" 1/16" gauge Solid brass

2.4



3 1/2"



8819-PB polished brass 8819-PN polished nickel 8819-BN brushed nickel 8819-OB oil rubbed bronze 3 1/2" X 2 1/2" Solid brass

Door hinges

Square steel door hinges with ball tips Removable stainless steel pins (Upper ball tip & pin are one piece of steel) 5 knuckles, swaged Architectural grade Sold in pairs



4" X 4"



8782-PL lacquered pol. brass 8782-PN polished nickel 8782-BN brushed nickel 8782-OB oil rubbed bronze 4" X 4" 135 gauge Ball tips: 9/16" dia. Steel #12 X 1-1/4" screws Sold in pairs Architectural grade

Solid brass Parliament hinges come in 5 sizes For shutters, windows, doors with clearance from wall With heavy-gauge (3/32" thick) swaged leaves Stainless steel removable pins with ball tips - reversible



8820-PB polished brass 8820-PN polished nickel 8820-BN brushed nickel 8820-OB oil rubbed bronze 4" X 2 1/2" Solid brass

#### 4 1/2"



8821-PB polished brass 8821-PN polished nickel 8821-BN brushed nickel 8821-OB oil rub'd bronze 4 1/2" X 2 1/2" Solid brass

HINGES

30 12.2 1821-PB polished brass Small 1811-PB polished brass 1821-PN polished nickel 1811-PL lacquered brass 1821-BN brushed nickel 1811-AB antique brass 1821-OB oil rubbed bronze 1811-PN polished nickel 1821-AB antique brass 1811-BN brushed nickel 1821-AC antique copper 1811-OB oil rubbed bronze 1 3/8" X 2" 1811-CPR polished copper Steel 1811-PC polished chrome Swaged, with removable pin 1811-BC brushed chrome Sold in pairs 1 1/2" X 1 1/2" Medium polished brass 1822-PB polished nickel 1822-PN 1822-BN brushed nickel 1822-OB oil rubbed bronze 1812-PB polished brass 1812-PL lacquered brass 1822-AB antique brass 1822-AC antique copper 1812-AB antique brass 1812-PN polished nickel 1 5/8" X 1 15/16" 1812-BN brushed nickel Steel 1812-OB oil rubbed bronze Swaged, with removable pin 1812-CPR polished copper Sold in pairs polished chrome 1812-PC 1812-BC brushed chrome 1 1/2" X 2" Steel butt hinges with ball tips & removable pins 3 sizes in 6 finishes

Faithful replicas of old style hinges for cabinets

Large

1823-PB polished brass 1823-PN polished nickel 1823-BN brushed nickel 1823-OB oil rubbed bronze 1823-AB antique brass 1823-AC antique copper 1 3/4" X 2 7/16" Steel Swaged, with removable pin Sold in pairs

5.5





Art Deco style

Offset



1580-PN	polished nickel
1580-OB	oil rubbed bronze
2 1/4" X	1 1/2"
Solid brass	
Flush mou	nting

polished brass

brushed nickel

1580-PB

1580-BN


1581-PBpolished brass1581-BNbrushed nickel1581-PNpolished nickel1581-OBoil rubbed bronze2 1/4" X 1 1/2"3/8" offsetSolid brass

Premium solid brass extruded cabinet hinges High precision machined, with ball tips Heavy gauge (3/32" leaf thickness) 4 sizes - 9 finishes



1813-PB polished brass 1813-PL lacquered brass 1813-AB antique brass 1813-PN polished nickel 1813-BN brushed nickel 1813-OB oil rubbed bronze polished copper 1813-CPR 1813-PC polished chrome 1813-BC brushed chrome 1 3/4" X 2 1/2"











 1502-PB
 polished brass

 1502-PN
 polished nickel

 3/8" offset
 3" long

 1 5/8" wide
 Solid brass , hand polished

#### Ice Box or refrigerator Hinges



1500-PBpolished brass1500-PLlacquered brass1500-PNpolished nickel1500-ABantique brass3/8" offset3 1/2" long1 7/8" wideSolid brass , hand polished



For doors, gates, refrigerators etc.

**1575-PB** polished brass **1575-PN** polished nickel 11" long , 5" at widest Solid brass Cast, highly polished *Heavy duty large hinge* 



**1550-PB** 1 1/2" X 2" Steel - brass plated Simple small butt hinge Screws not included





**1552-ST** 1 5/8" X 1 3/16" (when open) Short flap 11/16" long Long flap 15/16" long Steel, polished steel finish *A simple old-style butt hinge* with 2 leaves of different lengths

9558 3" high Large leaf 1 1/8" wide Small leaf 13/16" wide Steel Flat black finish Non-mortise hinges Sold in pairs



Small

•

#### **1553-AC** 2" high (without tips) Large leaf 7/8" wide Small leaf 3/4" wide Steel Antique copper finish

24

Sold in pairs

Non-mortise hinges with ball tips

Large



**1554-AC** 2 1/2" high (without tips) Large leaf 1" wide Small leaf 3/4" wide Steel Antique copper finish

Sold in pairs

#### For Arts & Crafts and Mission cabinet doors



#### 1556-AC

2" high (without tips) Large leaf 7/8" wide Small leaf 3/4" wide Steel Antique copper finish *Sold in pairs* 

#### Non-mortise hinges with steeple tips



1557-AC 2 1/2" high (without tips) Large leaf 1" wide Small leaf 3/4" wide Steel Antique copper finish Sold in pairs HINGES 3M

520

Removable

Removable

pin

pin





1561-PB polished brass 1561-AB antique brass 1561-AC antique copper 1561-PN polished nickel oil rubbed bronze 1561-OB 2 3/8" X 1 3/4" Steel Sold in pairs

1563-PB

1563-AC

1563-PN

1563-OB 2 1/2" x 2"

Sold in pairs

Steel



1560-PB	polished brass
1560-AB	antique brass
1560-AC	antique copper
1560-PN	polished nickel
1560-OB	oil rubbed bronze
2 3/8" X 2	1/4"
Steel	
Sold in pairs	



1564-PB polished brass 1564-AC antique copper 1564-PN polished nickel 1564-OB oil rubbed bronze 2 7/8" X 1 11/16" Steel Sold in pairs

Ornamental embossed full-surface flush hinges Dimensions given are for open hinge, as shown



Removable pin

1567-PB polished brass 1567-AC antique copper 1567-PN polished nickel 1567-OB oil rubbed bronze 3 3/4" X 1 3/4" Steel Sold in pairs



1562-PB polished brass 1562-AC antique copper 1562-PN polished nickel 1562-OB oil rubbed bronze 2" X 1 7/16" Steel Sold in pairs

With removable pin Reversible

Reversible flaps for use

as full- , half- , or non-surface hinge



1566-PB polished brass 1566-AC antique copper 1566-PN polished nickel 1566-OB oil rubbed bronze 1 1/2" X 1 1/2"

Steel square butt hinge Sold in pairs

Reversible surface or half-surface hinges are obtained by combining hinge #1566 with hinges #1561, #1563, #1567

Any two hinges will make a pair of mixed hinges

Mixed full-surface hinges are obtained by combining the leaves of hinges #1561, #1563 & #1567

48





1626-PB polished brass 1626-PN polished nickel 3 1/8" X 1 1/2" 3/8" & 1/2" offset Solid brass Wraparound hinge Offset depends on which leaf is on frame and which on door



1600-PB polished brass 1600-PN polished nickel 2 1/4" X 1 5/8" 3/8" offset

23



1627-PB polished brass 1627-PN polished nickel 2" x 2" 3/8" offset Solid brass Reversed pad



1594-PB polished brass 1594-PN polished nickel 2 1/2" X 1 1/2" 3/8" offset



1593-PB polished brass 1593-PN polished nickel 1 3/4" X 1 1/4" 3/8" offset Scalloped

Hinges for Hoosier kitchen cabinets



1628-PB polished brass 1628-PN polished nickel 2" X 1 1/2" 3/8" offset Solid brass

#### Hinges for traditional kitchen cabinets






Butterfly hinges







polished nickel



1602-PB polished brass polished nickel 1602-PN 1 3/4" x 2" 3/8" offset Solid brass




1599-PB polished brass 1599-PN polished nickel 2 3/8" X 1 1/2" 3/8" offset Reversed pad



1591-PB polished brass 1591-PN polished nickel 2" X 1 3/4" 3/8" offset Reversed pad



polished brass 1592-PB 1592-PN polished nickel 1 7/8" X 1 3/4" 3/8" offset



Smaller

2.4




Offset

Sec. 1

Flush





Machined brass Colonial style "H" cupboard hinges with beveled sides

> **1583-PL** 1 1/2" X 3 1/2" 3/8" offset Solid brass - lacquered *Offset mount*

Quadrant hinges for boxes, humidors etc.

Larger

1421-PB polished brass 1421-PN polished nickel 1 7/8" side length 1 5/8" hinge length Steel *Quadrant hinge* 

1422-PB polished brass

1422-PN polished nickel

1 5/8" side length

Quadrant hinge

Steel

1 3/16" hinge length



 1565-PB
 brass plated

 9565
 flat black

 2" wide, 2 3/8" high

 Steel

 Flush mount

 Butterfly hinges

 Sold in pairs

Small



**1571-AC** antique copper **1571-BK** black **1571-PB** polished brass 1 3/4" long For 3/4" wood thickness Steel *Sold in pairs* 

#### Medium



**1572-AC** antique copper 1 7/8" long For 1" wood thickness Steel Sold in pairs

Double acting hinges for screen / folding doors In 3 sizes and 2 finishes: antique copper & polished brass

#### Large



1574-AC antique copper 1574-PB polished brass 2" long

For 1 1/8" wood thickness Steel

Sold in pairs



**1570-PB** 7" overall length (open) 3/4" wide Steel , brass plated *Slant Top Hinge* 

For desks, secretaries etc.



Butler tray hinge in 2 finishes

1545-PLlacquered brass1545-ABantique brass2 7/8" X1 1/2"Sold in pairs


Locks at 90° and 180°



52


1160-PB polished brass 1160-PN polished nickel 3" center to center 3 1/2" wide Stamped brass With beveled edges








1314-PB polished brass 1314-BN brushed nickel polished nickel 1314-PN 1314-OB oil rubbed bronze 3 1/4" center to center 3 3/4" wide Heavy stamped brass





polished brass 1117-PB 1117-BN brushed nickel 1117-PN polished nickel 1117-OB oil rubbed bronze 3 3/4" wide, 1 3/4" high Heavy-stamped brass





#### Forged brass bin pulls

Large

Small



1429-PB polished brass 1429-PL lacquered brass polished nickel 1429-PN 1429-BN brushed nickel 1429-OB oil rubbed bronze 4 1/2" overall length

4" center to center Forged brass

Large



1163-PB polished brass 1163-BN brushed nickel polished nickel 1163-PN 1163-OB oil rubbed bronze 3" center to center 3 1/2" wide Heavy-stamped brass

1428-PB	428-PB polished brass	
1428-PL	lacquered brass	
1428-PN	polished nickel	
1428-BN	brushed nickel	
1428-OB	oil rubbed bronze	
3 3/16" overall length		
3" center to center		
Forged brass		

Traditional bin pulls in 2 sizes



1312-PB polished brass 1312-BN brushed nickel polished nickel 1312-PN 1312-OB oil rubbed bronze 2 1/2" center to center 3" wide Heavy-stamped brass

Good Hardware at Good Prices







1135-PBpolished brass1135-PNpolished nickel3 1/4" wide , 3/4" high2 3/4" center to centerCast brass



Large

See.

Small



1136-PB polished brass 1136 -PN polished nickel 3 1/2" wide , 7/8" high 3" center to center Cast brass

#### Ornate cast brass drawer / bin pulls in 3 sizes and in 2 finishes: brass & nickel



1137-PBpolished brass1137-PNpolished nickel4" wide , 7/8" high5/8" projection3 1/2" center to centerCast brass



1134-PBpolished brass1134-ABantique brass3 3/8" X1 1/4"3"center to centerCast brassOrnate Victorian bin pull



Utility pulls

1143-PB 3 3/4" wide, 1 1/2" high 3 1/4" center to center Steel Brass plated



**1143-BK** 3 3/4" wide, 1 1/2" high 3 1/4" center to center Steel Flat black finish



9140 Drawer / Bin Pull 4 1/4" wide 2 7/8" center to center Cast iron Black



9139 3 1/2" wide 2-15/16" center to center Cast iron, black

Ornate cast iron drawer / bin pulls



9141 Drawer / Bin Pull 3 3/8" wide 2 7/8" center to center 3/4" projection Cast iron Black



9138 Drawer / Bin Pull 4" wide 3 1/4" center to center Cast iron Black



3 sizes: 3", 5", 7" center to center

54

1424-BN

1424-OB

Appliance pull

8 7/8" overall length 7" center to center

brushed nickel

oil rubbed bronze

DRAWER / CABINET D	DOOR HANDLES
BM-BM-	
LARGE BRASS HANDLES IN THE ARTS & CRAFTS STYLE ALL STRAIGHT LINES AND RIGHT ANGLES Classic elegance for the home 3 sizes - 5 finishes Great-looking and sturdy Appliance pulls for drawers, cabinet doors	3201-PBpolished brass3201-ABantique brass3201-PNpolished nickel3201-BNbrushed nickel3201-OBoil rubbed bronzeCenter to center: 4"Overall length: 4 7/8"Width of handle:3/8" X 3/8"Projection:1 1/4", clearance: 7/8"Bases:7/8" X 7/8"Solid brass
Large handle	3203-PB       polished brass         3203-AB       antique brass         3203-PN       polished nickel         3203-BN       brushed nickel         3203-OB       oil rubbed bronze         Center to center: 8"       Overall length: 8 7/8"         Width: 3/8" X 3/8"       Projection: 1 3/8", clearance: 1"         Bases: 7/8" X 7/8"         Solid brass
Extra large handle	
3205-PB 3205-AB 3205-AB 3205-PN 3205-BN 3205-BN 3205-OB Center to Overall le Width: 3 Projection	antique brass polished nickel brushed nickel oil rubbed bronze center: 12" ength: 12 7/8" 3/8" X 3/8" n: 1 3/8", clearance: 1" /8" X 7/8"

55







1411-PB polished brass 1411-PN polished nickel 3 3/4" center to center 4 1/4" overall length, 1 1/4" wide Solid brass

6103

5 1/8" wide

4 1/2" center to center

Zinc diecast & Bakelite



2" C.C.



1179-PBpolished brass1179-ABantique brass15/16" diameterStamped brassFinishing washers - standardback plates for knobs and bailsets



1185-PB

2" center to center Wrought brass handle *A smaller version of #1180-PB* 

**1189-PB** polished brass **1189-AB** antique brass 1 1/8" diameter Stamped brass Pierced Rosettes, *"fancy" back plate for bail sets, ornate knobs, etc.* 



**1190-PB** polished brass **1190-AB** antique brass 3" center to center Cast brass handle



1191-PB polished brass1191-AB antique brass3" center to centerCast brass handle



1180-PBpolished brass1180-ABantique brass3" center to centerWrought brass handle



**1192-PB** polished brass **1192-AB** antique brass **3**" center to center Cast brass handle *With pierced rosettes* 




1181-PBpolished brass1181-ABantique brass3" center to centerWrought brass handle

P S

1182-PB polished brass
1182-AB antique brass
3" center to center
Wrought brass handle
Contoured plain handle







- **1145-PB** 2 1/2" center to center Solid brass *Contoured flat handle with special turned posts*
- 2 swan-neck bail pulls with turned posts

#### 3" C.C.



**1146-PB** 3" center to center Solid brass Contoured flat handle with special turned posts






PERIOD DRAWER PULLS



3 swan-neck pulls with beaded center in 3 finishes

Swan-neck drawer pulls in 5 sizes and 2 finishes

#### VICTORIAN DRAWER PULLS



Often overlooked fact: Eastlake furniture mostly used polished nickel hardware



1153-PB polished brass 1153-PN polished nickel Plate: 5" X 1 7/8" 3" center to center Stamped brass Eastlake style



**1150- PB** polished brass 1150-AB antique brass Plate: 4 1/8" X 2" 3" center to center Stamped brass



1151- PB polished brass 1151-AB antique brass Plate: 4 1/2" X 2 1/4" 3" center to center Stamped brass



1154-PB polished brass 1154-AB antique brass Plate: 4 1/8" X 1 3/4" 3" center to center Stamped brass

#### Stamped brass Victorian and American Oak furniture pulls



1158-PB polished brass 1158-AB antique brass Plate: 3 5/8" X 1 5/8" 3" center to center Stamped brass



1157-PB polished brass 1157-AB antique brass Plate: 4 1/8" X 1 3/4" 3" center to center Stamped brass



1152-PB polished brass 1152-AB antique brass Plate: 4 3/4" X 2 1/4" 3" center to center Stamped brass



#### UPC BAR-CODE LABELS

Would UPC bar-code labels on your products help you with your operation at your point of sale? We can put our UPC bar-code labels on products for you. Please contact us for more information.





1100-PB Plate: 4 3/8" X 1 3/4" 3" center to center Cast brass



1105-PB polished brass 1105-AB antique brass Plate: 4 3/8" X 1 5/8" 3" center to center Cast brass



1101-PB polished brass **1101-AB** antique brass Plate: 4 3/8" X 1 7/8" 3" center to center Cast brass



1106-PB polished brass 1106-AB antique brass Plate: 3 3/4" X 1 7/16" 3" center to center Cast brass





1102-PB 1102-AB Plate: 4 3/8" X 1 7/8" 3" center to center Cast brass



1103-PB Plate: 3 3/4" X 2" 3" center to center Cast brass



1104-PB polished brass 1104-AB antique brass Plate: 3 7/8" X 1 7/8" 3" center to center Cast brass



1107-PBpolished brass1107-ABantique brass 3" center to center Plate: 4 3/8" wide, 2" high Forged brass Drawer pull



Sold in pairs

1187-PB


1187-AB

1178-PB polished brass 1178-AB antique brass Stem 1 1/8" long Brass plated Standard eyelet posts for drop handles



Sold in pairs

1188-PB polished brass 1188-PN polished nickel 5/8" projection Solid brass Square posts for Victorian Eastlake pulls



polished brass



1198-PB 3/4" projection Shanks tapped for 8-32 thread Solid brass Come with screws.

#### PERIOD DRAWER PULLS



Plate: 4 1/8" X 2 7/8" Solid brass Openwork plate

Large

Plate: 3 5/8" X 2 1/2"

Solid brass

Large

#### PERIOD DRAWER PULLS



Large

3" center to center Plate: 4 1/2" X 3 3/8" Solid brass

Large

Plate: 3 3/4" X 2 3/4"

Cast brass handle, brass posts

Stamped brass plate

RING PULLS



RING PULLS

Small



Medium



**1456-PB** Plate: 3" X 2" Ring: 1 3/4" wide Solid brass *Single post* 

1455-PB

Plate: 2 1/2" X 1 5/8" Ring: 1 1/2" wide Solid brass Single post

Chippendale style willow brasses Single post with ring pulls Heavy-stamped plates

Sm.

Lg.



Bow: 3/4" wide Base: 3/8" dia. Solid brass

1249-PB



**1251-PB** Bow: 1" wide Base: 1/2" dia. Solid brass



**1250-PB** Bow: 1 1/2" wide Back plate: 1 1/8" dia. Solid brass

#### Bow pulls (Dutch Pulls) in 3 sizes



1281-PBpolished brass1281-PNpolished nickel1281-ABantique brassPlate: 1 1/2" wide, 1 3/4" ring1 3/4" ring3/4" ringdia.Solid brass



1282-PBpolished brass1282-PNpolished nickelPlate: 2 1/6" wide, 2 1/16" high1 1/2" ring dia.Solid brass

Eastlake style ring pulls In polished brass and polished nickel finishes

Often overlooked fact: Eastlake furniture mostly used polished nickel hardware



1277-PBpolished brass1277-PNpolished nickel1 3/4"back plate dia.1 3/4"ring dia.Solid brass



1278-PBpolished brass1278-PNpolished nickel2 1/2"back plate dia.1 3/4"ring dia.Solid brass



**1260-PB** polished brass **1260-AB** antique brass Lion head: 1 5/8" X 2" 1 1/2" ring dia. Solid brass Duncan Phyfe style Lion Head Pull



1259-PBpolished brass1259-ABantique brass1259-PNpolished nickelPlate:2" wide15/8" ring dia.Solid brass





**1470-1484-PB** Plate: 1 1/2" dia. Drop: 1 3/4" *Medium* 



**1470-1483-PB** Plate: 1 1/2" dia. Drop: 1 7/8" *Medium* 



**1471-1480-PB** Plate: 1 3/4" wide Drop: 1 3/4" Small



**1472-1481-PB** Plate: 2 1/4" wide Drop: 2" *Large* 



**1470-1485-PB** Plate: 1 1/2" dia. Drop: 2" *Medium* 



**1470-1490-PB** Plate: 1 1/2" dia. Drop: 2 1/8" *Medium* 



**1472-1487-PB** Plate: 2 1/4" wide Drop: 1 3/8" *Large* 



**1472-1485-PB** Plate: 2 1/4" wide Drop: 2" *Large* 

Colonial Revival / Depression Era Solid brass pendant pulls More pendant/backplate combinations are possible See next page



**1469-1482-PB** Plate: 1 3/16" dia. Drop: 1 7/8" *Small* 



**1473-1489-PB** Plate: 1 3/8" dia. Drop: 1 3/4" *Small* 



**1474-1487-PB** Plate: 1 7/8" dia. Drop: 1 3/8" *Large* 



**1474-1488-PB** Plate: 1 7/8" dia. Drop: 1 3/4" *Large* 



**1474-1486-PB** Plate: 1 7/8" dia. Drop: 2 1/4" *Large* 

68



12.0

Lg.

Good Hardware at Good Prices

Sm.



**1489-PB** 1" wide 1 3/4" drop



**1480-PB** 1 1/4" wide 1 3/4" drop



**1481-PB** 1 1/2" wide 2" drop



**1472-PB** Plate 2 1/4" wide, 1 1/8" high



**1471-PB** Plate 1 3/4" wide, 7/8" high

11 pendants and 6 back plates for Colonial Revival drop pulls Mix and match any plate and pendant



**1482-PB** 3/4" wide 1 7/8" drop

D

**1483-PB** 1" wide 1 7/8" drop



**1486-PB** 1 1/8" wide 2 1/4" drop



0

**1473-PB** Plate 1 3/8" dia.



**1474-PB** Plate 1 7/8" dia.



**1469-PB** Plate 1 3/16" dia.

Med.



**1470-PB** Plate 1 1/2" dia.



**1485-PB** 1 1/2" wide 2" drop



**1487-PB** 2" wide 1 3/8" drop



**1490-PB** 1 1/4" wide 2 1/8" drop



**1484-PB** 1 1/8" wide 1 3/4" drop



**1488-PB** 1 3/4" wide 1 3/4" drop

#### PENDANT PULLS





1141-PBpolished brass1141-PLlacquered polished brass1141-PNpolished nickel1141-BNbrushed nickel1141-OBoil rubbed bronze1 7/16"X1 3/4"Solid brassFlush (recessed) ring pull



1257-PBpolished brass, ebonized1257-ABantique brass, ebonized1257-W-PBpolished brass, walnutConic rosette:1 5/8" dia.Pendant:3"long , 1 1/8" dia.



1255-PBpolished brass1255-PNpolished nickelPendant 11/2" long1" back plate dia.Solid brass



 1256-PB
 polished brass

 1256-PN
 polished nickel

 Pendant 2"
 long

 1
 1/4"
 back plate dia.

 Solid brass
 Solid brass





1267-PBpolished brass, ebonized1267-ABantique brass, ebonized1267-W-PBpolished brass, walnutPendant: 2 1/2" long , 7/8" dia.Conic rosette: 1 1/4" dia.

Eastlake style Victorian drop pulls



**1276-PB** Pendant 2" long Plate: 2 3/8" X 2 1/4" Solid brass *Chased plate* 

Colonial Revival "tear drop" pulls



**1270-PB** polished brass **1270-AB** antique brass Pendant: 1 1/2" long , 7/8" dia. Conic rosette: 1 1/4" dia. *Ebonized knob* 



Large

**1269-PB** polished brass **1269-AB** antique brass Pendant: 2" long , 1 1/4" dia. Conic rosette: 1 5/8" dia. *Ebonized knob*  KNOBS 3M

## 2.2

Walnut knob



1258-W-PB 1" dia. 1 1/4" projection Walnut wood with brass top Polished brass



More Eastlake hardware Ring pulls and matching keyhole plates

Often overlooked fact: Eastlake furniture mostly used polished nickel hardware



Larger

Walnut knob

#### 1268-W-PB 1 3/8" dia.

1 1/4" projection Walnut wood with brass top Polished brass Unfinished walnut

1204







1340-PB polished brass 1340-AB antique brass Diameter: 1 1/8" Projection: 1" Base dia.: 9/16" Solid brass Smaller

> French style brass knobs Come in 2 sizes and 2 finishes





1341-PB

polished brass antique brass

Diameter: 1 1/2" Projection: 1 1/4" Base dia.: 11/16" Solid brass Larger

1341-AB



Ebonized knob

Smaller

Ebonized knob



1268-PB

1268-AB

1 3/8" dia.

in 2 finishes

1 1/4" projection

Ebonized wood with brass top

The brass top is available

Eastlake Victorian wood knobs with brass tops 2 sizes, 2 woods, 2 finishes Screw welded to brass top and wedged to wood part exactly as in the original knobs

> 1258-PB polished brass 1258-AB antique brass 1" dia. 1 1/4" projection Ebonized wood with brass top The brass top is available in 2 finishes

> > polished brass

antique brass

KNOBS



Small



**1291-PB** polished brass **1291-AB** antique brass 1 1/4" dia. 13/16" projection Cast brass



1241-PB polished brass
1241-AB antique brass
1 1/4" dia.
1" projection
Cast brass

Large



**1243-PB** polished brass **1243-AB** antique brass 1 1/2" dia. 1" projection Cast brass



**1292-PB** polished brass **1292-AB** antique brass 1 1/2" dia. 7/8" projection Cast brass

Ornate American Oak Victorian knobs - come with the finishing washer shown below Can also be used with the pierced rosette shown on this page

Small



1242-PB1 1/4" dia.1" projection Cast brass



**1244-PB** polished brass **1244-AB** antique brass 1 1/4" dia. 7/8" projection Cast brass



**1179-PB** polished brass **1179-AB** antique brass 15/16" dia. Stamped brass *Finishing washer is included with all knobs on this side Can also be ordered separately Sold in pairs* 

**1189-PB** polished brass **1189-AB** antique brass 1 1/8" diameter Stamped brass *Pierced Rosettes, "fancy" back plates for bail sets, ornate knobs, etc. Sold in pairs* 

Large



**1240-PB** polished brass **1240-AB** antique brass 1 1/2" dia. 1" projection Cast brass KNOBS



Small

Medium



**1294-PB** 1" dia. 7/8" projection Stamped brass

1295-PB

Colonial Revival style knobs Pattern available in 3 sizes

1 1/4" dia.

1" projection Stamped brass



8

1299-PB polished brass 1299-AB antique brass 1" dia. 5/8" projection Back plate: 1" dia.



**1298-PB** polished brass **1298-AB** antique brass 1 1/4" dia. 3/4" projection Back plate: 1 1/4" dia.

Sheraton style knobs with matching plates Available in 2 finishes and 4 sizes

Large



**1296-PB** 1 1/2" dia. 1 1/8" projection Stamped brass



1297-PB polished brass
1297-AB antique brass
1 5/8" dia.
1 1/16" projection
Back plate: 1 5/8" dia.
Stamped brass



1246-PBpolished brass1246-ABantique brass1246-PNpolished nickel1" dia., 1" projectionCast brassColonial revival,Depression era



1300-PB polished brass
1300-AB antique brass
2" dia.
1 3/8" projection
Back plate: 2" dia.
Stamped brass

### Colonial Revival / Depression Era Early 20th century

KNOBS

5.






1236-PBpolished brass1236-OBoil rubbed bronze1236-PNpolished nickel1236-BNbrushed nickel1236-BCpolished chrome1236-BCbrushed chrome11/4" X 7/8"11/4" projection



**1234-PB** 1 1/4" dia. 1 1/4" proj.



Classic elegance Solid brass - In 5 finishes



1438-PBpolished brass1438-PLlacquered brass1438-PNpolished nickel1438-BNbrushed nickel1438-OBoil rubbed bronze1" dia.11 //8" projection

Same pattern in two sizes



1439-PBpolished brass1439-PLlacquered brass1439-PNpolished nickel1439-BNbrushed nickel1439-OBoil rubbed bronze11/4" dia.13/16" projection



1434-PBpolished brass1434-PLlacquered brass1434-PNpolished nickel1434-BNbrushed nickel1434-OBoil rubbed bronze1 1/4"dia.1" projection



1437-PB polished brass
1437-PL lacquered brass
1437-PN polished nickel
1437-BN brushed nickel
1437-OB oil rubbed bronze
1 3/4" wide
1 3/8" projection

KNOBS -3 M

Ser al




Oblong octagonal knob

#### Art Deco knobs



Round knob with rings



1337-PB polished brass

polished nickel

1337-PN

Solid brass

1 3/16" dia.

1 1/8" projection



1221-PB 3/8" dia. 7/16" projection





1222-PB polished brass 1222-PN polished nickel 1/2" dia. 1/2" projection In 2 finishes

Solid brass "bookcase" knobs Come with machine screw and hanger bolt



1223-PB 5/8" dia. 1/2" projection



1224-PB 3/4" dia. 9/16" projection



With concentric rings on face



of knobs



1228-PB 7/8" dia. 1/2" projection



1245-PB polished brass 1245-PN polished nickel 1 1/8" dia., 3/4" projection Stamped brass Simple knob for Hoosiers, kitchen cabinets, etc.



1229-PB polished brass 1229-PN polished nickel 5/8" dia., 9/16" projection Solid brass Bookcase Knob In 2 finishes





1248-PB 1 5/16" dia., 1 1/8" projection 1" back plate dia. Stamped brass Spool cabinet knob With split pin attachment



1230-PB polished brass 1230-BK flat black 3/4" dia. 5/8" projection Mushroom shaped In 2 finishes



KNOBS -3 M







1266-PB polished brass 3/4" X 3/4" Heavy stamped brass Square back plate for use with knob #1261 etc.





6104 2" dia. 3/4" projection Bakelite & Zinc diecast

24



1262-PB polished brass 1262-BN brushed nickel 1262-PN polished nickel 1262-OB oil rubbed bronze 1" square, 7/8" projection Solid brass



9250 1" dia. 1" projection Cast iron Painted black Disk knob



9262 1" square 7/8" projection Cast iron Painted black Pyramid knob



1263-PB polished brass 1263-BN brushed nickel 1263-PN polished nickel 1263-OB oil rubbed bronze 1 1/4" square , 1" projection Solid brass

Mission / Arts & Crafts solid brass pyramid knobs



1020-AC 1 3/16" X 1 3/16" Base: 13/16" X 13/16" 15/16" projection Forged brass Antique copper finish Hammered surface








Large



9252 1 3/16" dia. 1 3/16" projection Iron Painted black

9253 1 3/8" dia. 1 3/8" projection Iron Painted black





2.

**1208-AB** antique brass 1 7/8" X 1 1/8" dia. Stamped brass

1208-PB polished brass



**1213-PB** polished brass **1213-PN** polished nickel Overall height and width: 2 1/8" Length of side: 1 1/2" Solid brass *Eastlake style* 

#### 2 Eastlake style keyhole plates

Note: Eastlake furniture mostly used polished nickel hardware



 1204-PB
 polished brass

 1204-PN
 polished nickel

 1" wide , 1 1/2" high

 Stamped brass

 Eastlake style



1209-PB polished brass
1209-AB antique brass
1" dia.
Stamped brass *Round*



1210-PBpolished brass1210-ABantique brass11/2" X111/8"Stamped brassHorizontal oval



**1211-PB** polished brass **1211-AB** antique brass 1 1/8" X 1 1/2" Stamped brass *Vertical oval* 

#### **KEYHOLE PLATES / ESCUTCHEONS** 3 M





1218-PB polished brass 1218-AB antique brass 1 3/8" dia. Stamped brass Round



1172-PB polished brass 1172-AB antique brass Plate: 3 1/2" X 2 1/8" Solid brass

2.4



1219-PB polished brass **1219-AB** antique brass 1 1/2" X 1 1/8" Stamped brass Horizontal oval



1466-PB 3 1/4" X 2 1/2" Solid brass



1220-PB polished brass 1220-AB antique brass 1" X 1 5/16" Stamped brass Vertical oval





1457-PB Plate: 2 1/2" X 1 5/8" Solid brass



1217-PB polished brass 1217-AB antique brass 1 1/16" X 1 5/8" Stamped brass

Colonial Revival keyhole plates





1023-AC 1 5/8" X 1" Forged brass Antique copper finish Rectangular keyhole plate


1214-PB 1 15/16" X 7/8" Solid brass, heavy stamped Diamond-shaped



1216-PB 1 15/16" X 7/8" Solid brass, heavy stamped Rectangular

Mission style keyhole plates







1492-PB 2 3/4" X 1 7/8" Solid brass Openwork keyhole plate



1491-PB 3/4" X 2 5/8" Solid brass Openwork keyhole plate

Chippendale style willow brasses Keyhole plates (escutcheons)

KEYHOLES / CABINET DOOR PULLS / CHINA CABINETS 3 M








Side view

1199-PB 9/16" inside height Stamped brass

Front view

Side view






3 keyhole inserts and thread escutcheons

1215-PB 3/4" outside height 5/8" inside height Solid brass Thread escutcheon





polished brass

antique brass 2 1/8" wide , 5/8" projection 1 5/8" center to center

1288-PB

1288-AB

Solid brass Installed with screws Finger pull without a keyhole





1289-PB polished brass 1289-AB antique brass 1 7/8" wide, 5/8" projection Solid brass Arts & Crafts, turn of the century finger pull with a keyhole

3 finger pulls for drawers and china cabinet doors





1707-PB polished brass 1707-AB antique brass Bow: 1 1/8" wide Projection: 1" Solid brass Key knob for cabinet doors

Cabinet door

pulls



1285-PB polished brass 1285-AB antique brass 3 3/4" tall 3/4" wide Cast brass Small pull with a keyhole For wardrobes, china cabinets etc.



1704-PL lacquered brass 1704-AB antique brass Plate: 7/8" wide, 6 3/4" high Key bow: 1 1/8" wide 1 1/16" projection Solid brass



1705-PL lacquered brass 1705-AB antique brass Plate: 3/4" wide, 5 1/4" high Key bow: 1 1/8" wide 1 1/16" projection Solid brass

#### 

#### Sec.




**1027-AC** Plate: 1 1/2" X 4" Forged brass Antique copper finish Hammered surface *Cabinet door pull with keyhole With round-head slotted screws* 



#### 1290-PB

Knob 1 1/8" dia., 3/4" projection Oval base: 1 1/2" X 11/16" Stamped brass with steel parts *Push catch with knob For door thickness 1/4" to 7/8"* 





### 1283-PB

Base of knob: 1 3/16" X 1 5/16" Projection: 13/16" Solid brass with steel parts Push catch with knob For door thickness 1/4" to 3/4"



**1029-AC** Plate: 1 3/8" X 4" Forged brass Antique copper finish Hammered surface *Cabinet door pull with keyhole With round-head slotted screws* 





1112-PBpolished brass1112-ABantique brass1112-ACantique copper1112-BKblackPlate:1 1/4" X 3 3/4"Cast brassHammered lookL. & J.G. Stickley cabinet door pullIncludes diamond-head screws



**1284** -PB Handle: 3 3/8" high , 3/4" wide Projection: 3/4" Solid brass with steel parts *Push catch with Handle* For door thickness 1/2" to 1"




Small



1612-PB polished brass 1612-AB antique brass 1612-OB oil rubbed bronze polished nickel 1612-PN 1612-BN brushed nickel 1612-PC polished chrome 1612-BC brushed chrome Latch: 1 1/8" X 1 3/4" Catch: 1/2" X 1 3/4" Solid brass

Top quality solid brass die cast latches For cabinet doors

Large



1619-PBpolished brass1619-OBoil rubbed bronze1619-PNpolished nickel1619-BNbrushed nickelLatch:1 5/8" X 2 1/8"Catch:5/8" X 2 1/8"Solid brass

Small



1617-PBpolished brass1617-ABantique brass1617-ACantique copper1617-PNpolished nickel1617-OBoil rubbed bronzeLatch:1 1/4" X 1 7/8"Catch:5/8" X 1 7/8"Stamped steel

23

#### Utility latches for "Country" furniture

Large



1618-PBpolished brass1618-ABantique brass1618-ACantique copper1618-PNpolished nickel1618-OBoil rubbed bronzeLatch:11/2"X21/8"Catch:5/8"X2Stamped steel

Ornate Victorian brass latches

Small




**1610-PB** polished brass **1610-AB** antique brass Latch: 1 3/4" X 1 1/4" Catch: 1" X 1 1/4" *Ornate* cast brass

Large



**1613-PB** polished brass **1613-AB** antique brass Latch: 2 1/8" X 1 3/8" Catch: 1 5/16" X 1 3/8" *Ornate* cast brass

VAVAV Gr





1253-PB 1" knob dia.

Cupboard turn



Ser al

1614-PB 2" base dia. Solid brass Polished brass finish Table catch or turn button

When installing, gap between the 2 parts of base to be no nore than 3/32"



Larger knob

1 1/4" knob dia. Cupboard turn



1616-PB polished brass **1616-AB** antique brass 1 1/2" base dia. Solid brass Turn button with back plates for cabinet doors

For doors, cabinet doors, screens, windows etc.



1274-PB 1 3/8" dia. 1 1/4" projection Ebonized wood and brass Cupboard turn

Tightly wedged through hole, post turns with knob to open or close cabinet door



Sold in pairs


1615-BK 2" long Cast iron. Raised. Painted black (japanned) Utility turn buttons Sold in pairs



1252-PB End Turn Solid brass stop is 1 3/8" X 1/2" Stud is 8-32 X 2 3/4" long Brass plated threaded stud

End turn can be used with any knob from the catalog

#### ART DECO / STREAMLINE / MODERNE



# ART DECO / STREAMLINE / MODERNE



1 1/2" CC



**1330-PB** polished brass **1330-PN** polished nickel 1 1/2" center to center 7/8" projection Solid brass



**1336-PB** polished brass **1336-PN** polished nickel 1 1/4" X 7/8" 7/8" projection Solid brass

Oblong octagonal knob



**1906-PB** polished brass **1906-PN** polished nickel Height: 2 1/2" 2 3/8" projection Base: 1" X 1 5/8" Solid brass 2.4

#### Flush mount



1580-PB	polished brass	
1580-BN	brushed nickel	
1580-PN	polished nickel	
1580-OB	oil rubbed bronze	
2 1/4" X	1 1/2"	
Solid brass		
Flush mounting		



Offset



1581-PB polished brass
1581-BN brushed nickel
1581-PN polished nickel
1581-OB oil rubbed bronze
2 1/4" X 1 1/2"
3/8" offset
Solid brass

1337-PBpolished brass1337-PNpolished nickel1 3/16"dia.1 1/8"projectionSolid brass

Round knob with rings


> Visit our website at www.timelyhardware.com to see all products in all colors and all finishes

#### CONTEMPORARY HARDWARE



86

1" projection



#### N. C.



**1016-AC** antique copper Plate: 3 3/4" x 2" Forged brass Antique copper finish Hammered surface *Includes pyramid screws*  Without keyhole

With keyhole



**1015-AC** antique copper Plate: 3 3/8" X 1 13/16" Forged brass Antique copper finish Hammered surface *with oval ring Includes pyramid screws* 

antique copper

Includes round-head slotted screws

Plate: 2 3/4" X 1 3/8"

Antique copper finish

Hammered surface

1018-AC

Forged brass



**1017-AC** antique copper Plate: 1 1/2" X 4" Forged brass Antique copper finish Hammered surface *Includes pyramid screws* 



**1027-AC** antique copper Plate: 1 1/2" X 4" Forged brass Antique copper finish Hammered surface *Includes round-head slotted screws* 

#### Gustav Stickley cabinet door pulls



Gustav Stickley drawer pulls

1111-PBpolished brass1111-ABantique brass1111-ACantique copper1111-BKblackPlate:3 1/8" X 1 1/2"Cast brassHammered surfaceL. & J.G. Stickley drawer pullIncludes diamond-head screws



1112-PBpolished brass1112-ABantique brass1112-ACantique copper1112-BKblackPlate:1 1/4" X 3 3/4"Cast brassHammered surfaceL. & J.G. Stickley cabinet door pullIncludes diamond-head screws

L & J G Stickley pulls

Without keyhole

With keyhole



**1019-AC** antique copper Plate: 1 3/8" X 4" Forged brass Antique copper finish Hammered surface *Includes round-head slotted screws* 



**1029-AC** antique copper Plate: 1 3/8" X 4" Forged brass Antique copper finish Hammered surface *Includes round-head slotted screws* 

88

#### MISSION / ARTS & CRAFTS

-3 M







**3503-AC** antique copper **3503-PW** pewter **3503-BK** black Plate: 3 1/2" X 1 3/4" 3" center to center Zinc alloy die cast Hammered surface *Drawer pull* 

3502-AC antique copper

Plate: 1 3/4" X 3 1/2"

(They take 8-32 thread screws)

3502-PW pewter

Zinc alloy die cast Hammered surface Single post Cabinet door pull

Sold without screws

6016

6026

6036

6046

1" X 3 3/4"

Zinc alloy die cast

Cabinet door pull

6017

6027

6037

6047

antique brass

distressed black

2 vertical posts with 2 1/4" CC

pewter

flat black



**1265-PB** Plate: 2 1/4" X 1 1/4" 1 1/4" ring dia. Solid brass *Drawer Pull* 



**1264-PB** Plate: 1" X 3 1/2" 1 1/4" ring dia. Solid brass *Cabinet Door Pull with keyhole* 



**1289-PB** 1 7/8" wide 5/8" projection Solid brass *Finger Pull with keyhole* 

Arts & Crafts style pulls and keyhole covers



**1214-PB** 1 15/16" X 7/8" Thick stamped *brass Diamond-shaped keyhole plate* 





**1216-PB** 1 15/16" X 7/8" Thick stamped *brass Rectangular keyhole plate* 

**1023-AC** 1 5/8" X 1" Forged brass Antique copper finish *Rectangular keyhole plate* 



Smaller



Larger



6018 antique brass 6028 pewter 6038 flat black 6048 distressed black 3 3/4" X 2" 3" center to center Zinc alloy die cast Drawer pull

antique brass

distressed black

pewter

2 3/4" X 1 3/4" 1-1/8" vertical CC Zinc alloy die cast Drawer pull

flat black

	MISSION / ARTS & CRAFTS
	B∣M € to the second se
LARGE BRASS HANDLES IN THE ARTS & CRAFTS STYLE Classic elegance for the home 3 sizes - 5 finishes Great-looking and sturdy Appliance pulls For drawers, cabinet doors	4" center 3201-PB polished brass 3201-AB antique brass 3201-PN polished nickel 3201-BN brushed nickel 3201-OB oil rubbed bronze Center to center: 4" Overall length: 4 7/8" Width of handle: 3/8" X 3/8" Projection: 1 1/4", clearance: 7/8" Bases: 7/8" X 7/8" Solid brass
8" center	Jarge handle         3203-PB       polished brass         3203-AB       antique brass         3203-PN       polished nickel         3203-BN       brushed nickel         3203-BN       brushed nickel         3203-OB       oil rubbed bronze         Center to center: 8"       Overall length: 8 7/8"         Width: 3/8" X 3/8"       Projection: 1 3/8", clearance: 1"         Bases: 7/8" X 7/8"       Solid brass
Extra large handle	
12" center	3205-PBpolished brass3205-ABantique brass3205-ABpolished nickel3205-PNpolished nickel3205-OBoil rubbed bronzeCenter to center: 12"Overall length: 12 7/8"Width: 3/8" X 3/8"Projection: 1 3/8", clearance: 1"Bases: 7/8" X 7/8"Solid brass





1147-PB polished brass 1147-PN polished nickel 2" center to center Solid brass Little pull for small drawers, cubbyholes, etc.



1553-AC Steel

Leaf 2" high Ant. copper finish With ball tips

Smaller

5.



1113-PB polished brass 1113-BN brushed nickel polished nickel 1113-PN 1113-OB oil rubbed bronze 3" center to center Solid brass



Solid brass "square" handles

Can be used horizontally vertically for



1148-PB polished brass brushed nickel 1148-BN 1148-PN polished nickel 1148-OB oil rubbed bronze

3 1/2" center to center Solid brass



1114-PB polished brass 1114-BN brushed nickel 1114-PN polished nickel 1114-OB oil rubbed bronze 4" center to center Solid brass





1556-AC Leaf 2" high Steel Ant. copper finish With steeple tips

Non-mortise hinges Sold in pairs

•	
•	
•	



1554-AC Leaf 2 1/2" high Steel Ant. copper finish With ball tips

Larger



1557-AC Leaf 2 1/2" high Steel Ant. copper finish With steeple tips

# MISSION / ARTS & CRAFTS

25



#### **1020-AC** antique copper finish 1 3/16" X 1 3/16" Base: 13/16" X 13/16" 15/16" projection Forged brass Antique copper finish Hammered surface *Pyramid Knob*

Small



**4200** 3/4" square 13/16" project. Oak 24



4201	oak	
4201-BK	black	
4201-C	cherry	
4201-WI	walnut	
1 1/4" square		
7/8" projection		
Oak and other woods		

Large

Medium



**4203** 1 3/4" square 1 1/8" projection Oak

Oak pyramid knobs and handle

Large



 1263-PB
 polished brass

 1263-BN
 brushed nickel

 1263-PN
 polished nickel

 1263-OB
 oil rubbed bronze

 1 1/4" square

 1" projection

 Solid brass

 Pyramid Knob



**4205** 3" center to center 4 1/2" X 1 3/8" 1 1/8" projection Oak

B

1261-PB polished brass

3/4" square

Solid brass

3/4" projection

Pyramid Knob



1262-PB

1262-BN

1262-PN

1262-OB

1" square 7/8" projection Solid brass *Pyramid Knob* 

**1266-PB** polished brass 3/4" X 3/4" Heavy stamped brass Square back plate For use with knob #1261 or just as a square plate

polished brass

brushed nickel

polished nickel

oil rubbed bronze

Small



#### 9908 Base: 1 3/4" X 3 1/4" 4" projection Iron Painted dark brown/black 3-pronged Gustav Stickley hall tree hook

9907 5 1/2" tall 3 1/2" projection Base: 1 1/16" X 2" Cast iron , black





## 1362

For 1/2" square screw head Steel , painted black Wrench for #1014-AC pyramid screws shown on right



1902-PBpolished brass1902-BNbrushed nickel1902-PNpolished nickel1902-OBoil rubbed bronze5 1/2" tall3 1/4" projectionBase: 9/16" X 2 1/4"Solid brass



1009-PBpolished brass1009-PNpolished nickel1009-ABantique brass1009-OBoil rubbed bronze#5 X 5/8" round-head slotted brass wood screwSold in bags of 20

Round head



**1012-AC** Antique copper finish #8 X 1/2" long Round-head slotted steel wood screw Sold in bags of 20

#### Screws for Mission / Arts & Crafts hardware



**1013-AC** Antique copper finish Head: 5/16" X 5/16" 3/4" long stem Iron Square-head screw - Sold each



**1014-AC** Antique copper finish Head: 1/2" X 1/2" 1/2" long stem Iron *Pyramid screw - Sold each* 



12.0



1014-AC antique copper Head: 1/2" X 1/2" Threaded part: 1/2" long Iron, antique copper finish Pyramid Screws

1013-AC antique copper Head: 5/16" X 5/16" Threaded part: 3/4" long Iron, antique copper finish Square head Screws



1012-AC antique copper 1/2" long Round head slotted steel screws Antique copper finish Sold in bags of 20

Screws for Mission / Arts & Crafts hardware

1178-PB polished brass 1178-AB antique brass Stem 1 1/8" long Steel eyelets & nuts Standard eyelet posts for drop handles. Sold in pairs

polished brass

antique brass

1187-PB 1187-AB 7/8" projection Solid brass Ornate posts for Victorian pulls can be used with any back plate or drop handle in the catalog Sold in pairs



1188-PB polished brass 1188-PN polished nickel 5/8" projection Solid brass Square posts for Victorian Eastlake pulls Sold in pairs



1198-PB 3/4" projection Shanks tapped for 8-32 thread Solid brass Fit all drawer pulls on pages 49-51. Posts hold handle 3/4" in front of plate for easier grasp. Screws included. Sold in pairs

Eyelets and posts





1008-PB polished brass 1008-PN polished nickel 1008-AB antique brass 1008-OB oil rubbed bronze

polished brass

polished nickel

oil rubbed bronze

#7 X 1" flat-head slotted brass wood screws

antique brass

1007-PB

1007-PN

1007-AB

1007-OB

Sold in bags of 20

#7 X 1" flat head Phillips brass wood screws Sold in bags of 20

5.5



1006-PB polished brass polished nickel 1006-PN 1006-AB antique brass 1006-OB oil rubbed bronze  $\#5 \ge 5/8$ " flat head slotted brass wood screws Sold in bags of 20



1009-PB polished brass 1009-PN polished nickel 1009-AB antique brass 1009-OB oil rubbed bronze  $\#5 \ge 5/8$ " round head slotted brass wood screws Sold in bags of 20



1010-PB polished brass 1010-AB antique brass 1010-PN polished nickel **1010-OB** oil rubbed bronze #5 X 5/8" oval head slotted brass wood screws Sold in bags of 20





Finishing Washers



8-32 thread 1 1/8" long Steel, brass plated Studs and nuts Sold in pairs

1011-PB

1179-PB polished brass 1179-AB antique brass 15/16" dia. Stamped brass Standard back plate for knobs and bail sets - sold in pairs

1189-PB polished brass 1189-AB antique brass 1 1/8" dia. Stamped brass "Fancy" back plate for bail sets, ornate knobs, etc. - sold in pairs

94



5291-PNnickel plated2 1/2" long5292-PBbrass plated2 1/2" long5293-PNnickel plated3" long5294-PBbrass plated3" longSteel bolt & nutBolts for Glass Knobs & Handles

Authentic pan-head screws for glass knobs and glass handles come with square nuts. The heads of the screws are smooth. The upper part of the stem is threadless for better appearance.



 5296-PN-1.00
 nickel plated

 5296-PN-1.25
 nickel plated

 5296-PN-1.50
 nickel plated

 5296-PB-1.00
 brass plated

 5296-PB-1.25
 brass plated

 5296-PB-1.50
 brass plated

 5296-PB-1.50
 brass plated

 5296-PB-1.50
 brass plated

 Screw length: 1" or 1.25" or 1.50"
 Steel post and screw

Posts & Screws: an alternative way to install glass knobs and handles. There are 3 lengths of screws corresponding to the sizes of the knobs. Please specify size when ordering (for handles order 1.25" screws).

Website: www.timelyhardware.com



1361 Overall length 6 1/8" 3/8" dia., Shank 5 3/8" long Square head 1/2" X 1/2" Iron Bed bolt Includes a 3/4" square steel nut



1362
For 1/2" square screw head
4" long handle
3" long square tube
Steel , painted black
Bed Bolt Wrench for #1361 bed bolt
shown below left

1357-PB polished brass 1357-AB antique brass 2" dia. 2 1/2" high 3/8" thread dia., 16 TPI Solid brass Larger Brass bed finials in 2 sizes 1358-PB polished brass 1358-AB antique brass 1 3/4" dia. 2 1/4" high 3/8" thread dia., 16 TPI Solid brass Smaller Bed hardware and accessories 1359-PB polished brass 1359-AB antique brass 1 3/4" dia., 1/2" high Stamped brass Bed finial washer goes under the bed finials shown above



1360-PBpolished brass1360-ABantique brass1 5/8" dia. ,<br/>Cast brassCast brassBed Bolt Cover<br/>Available in 2 finishes

Also good for #1014 pyramid screws, shown on next page



1603-PB polished brass 1603-PN polished nickel Housing: 1 1/4" X 2" Right Hand

23

1596-PB polished brass 1596-PN polished nickel Housing: 1 1/8" X 2 1/4" Right Hand

1642-PB polished brass 1642-PN polished nickel Right Hand

Base dia.: 1 9/16"

Lever latches 3/8" Offset mount

1643-PB polished brass 1643-PN polished nickel Left Hand

1641-PB polished brass

1641-PN polished nickel

Left Hand



1644-PB polished brass 1644-PN polished nickel Right Hand






Flush

mount



3/8" offset

mount




1624-PB Offset polished brass 1624-PN Offset polished nickel Base: 5/16" X 1 1/2" Centered catches for Hoosier latches Enable use with either Right Hand or Left Hand door.

polished brass

polished nickel

#### Hoosier cabinet strikes









Offset depends on which leaf is on frame and which on door



1626-PB polished brass 1626-PN polished nickel 3 1/4" X 1 1/2" 2 offsets: 3/8" & 1/2" Solid brass Wraparound hinge

1627-PB polished brass 1627-PN polished nickel



1600-PBpolished brass1600-PNpolished nickel 2 1/4" X 1 5/8" 3/8" offset

24



1594-PB polished brass 1594-PN polished nickel 2 1/2" X 1 1/2" 3/8" offset



1593-PB polished brass 1593-PN polished nickel 1 3/4" X 1 1/4" 3/8" offset Scalloped



1628-PB polished brass 1628-PN polished nickel 2" x 1 1/2" 3/8" offset Solid brass

### All solid brass



1591-PB polished brass 1591-PN polished nickel 2" x 1 3/4" 3/8" offset Reversed pad



Small

1601-PB polished brass 1601-PN polished nickel 1 5/8" X 1 1/2" 3/8" offset

Large






1602-PB polished brass polished nickel 1602-PN 1 3/4" x 2" 3/8" offset



2" x 2"









1599-PB polished brass

All solid brass

1599-PN polished nickel 2 3/8" X 1 1/2" 3/8" offset Reversed pad

HOOSIER CABINET HARDWARE -3 M

11" long , 2 1/4" high Side clearance: 3/8"

Heavy gauge steel

6601

For "Sellers" cabinets and other brands

25



6602 10 1/2" X 4 1/2" Side clearance: 1/4" Heavy gauge steel

For "Hoosier" cabinets and other brands

#### Side brackets for Hoosier kitchen cabinets

Brackets used to mount upper unit onto base of cabinet, making room for work-top to slide in between. Side clearance is the distance a work-top can exceed the cabinet's side. While typical of some brands, brackets can be used on many others.



6603 10 3/4" long , 2 3/4" high Side clearance: 3/4" Heavy gauge steel

Sold in complementary pairs: left- & right-hand

For "Boone", "McDougall"

and other cabinet brands

For "Hoosier" cabinets and other brands




6604 10 5/8" X 3 3/4" Side clearance: 3/4" Heavy gauge steel Sold in pairs

For "Wilson" cabinets and other brands



6605 11" long , 2 3/16" high Side clearance: 1 3/8" Heavy gauge steel Larger bracket for use on cabinets with wider porcelain work top

#### HOOSIER CABINET HARDWARE 20





1385-PB polished brass 1385-PN polished nickel 1 1/4" X 1 1/4" Stamped brass Hoosier cabinet leg skirt



Fits snugly at base of cabinet leg as shown above



Smaller

20





5202 clear 5252 Depression green 1 1/4" dia. Glass Hexagonal glass knob With 2-1/2" long bolt



5297 Hex Glass Knob 1 1/4" dia. Glass shank 1/2" dia. Clear glass Includes brass sleeve



3 1/2" wide, 1" high Stamped brass



5297-F Sleeve for Glass Knob 5/8" long, 1/2" dia. Stamped brass Used to install glass knob above Can be ordered separately



1159-PB polished brass 1159-PN polished nickel 2 3/4" center to center 3 1/4" wide, 5/8" high Heavy stamped brass



1245-PB polished brass 1245-PN polished nickel 1 1/8" dia. 3/4" high Stamped brass



9140 4 1/4" wide 2 7/8" center to center Cast iron, black



1143-BK 3 3/4" wide

1 1/2" high

3/4" projection

3 1/4" center to center

Stamped steel, black




9141 3 3/8" wide 2 3/4" center to center Cast iron, black

### Drawer / bin pulls





9138 4" wide 3 1/4" center to center Cast iron, black





9139 3 1/2" wide 2 15/16" center to center Cast iron, black



9565 Hinge 2" x 2 3/8" Steel, black Flush mount Butterfly hinge



24

# BLACK CAST IRON HARDWARE





#### 9262 1" X 1"

7/8" projection Cast iron, black Mission / A & C style Pyramid Knob



9901 Hook 4 1/2" high 2 3/4" projection Base: 1 1/8" X 2 1/8" Cast iron , black *Hall tree hook* 

V

5.

Knobs

Small



#### **9252** 1 3/16" dia. 1 3/16" projection Iron Painted black

Art Nouveau style



# **9905** Hook 5 1/2" tall

5 1/2" tall 3 3/4" projection Base: 1 1/4" X 1 3/8" Cast iron , black *Hall tree hook* 

Large




9253 1 3/8" dia. 1 3/8" projection Iron Painted black A larger version of 9252, this knob is also used on many French style furniture pieces

# BLACK CAST IRON HARDWARE / HOOKS





9903 Hook 3 1/2" high 2 5/8" projection Base: 1 3/8" X 1" Cast iron, black 3-pronged utility hook



"Acorn" hooks

Cast iron hooks

Arts & Crafts style

Ð

24



**9904** Hook 3" high 3 1/8" projection Base: 1 3/4" X 2" Cast iron , black



9907 Hook 5 1/2" high 3 1/2" projection Base: 1 1/16" X 2" Cast iron, black *Costumer hook* 








3310-AB antique brass
3311-AC antique copper
Height: 5"
3 1/2" projection
Base: 7/16" X 2 3/8"
Screws distance 1 13/16"
Zinc alloy die cast
Costumer hook



Installed from the back with a stud & nut

Width: 5 1/4" 3" projection 1 1/4" collar dia. Solid brass Hall tree hook with 4 prongs

1903-PB



Arts & Crafts style



**1904-PB** Height: 3" 3 3/4" projection Base: 1 1/2" X 1 1/2" Solid brass *Victorian "acorn" hook* 



#### **1905-PB** 5 1/4" high

3 3/4" projection Base: 1 3/8" X 1 1/2" Solid brass



**1901-PB** Height: 4 1/2" 3" projection Base: 1 1/8" X 2 1/8" Solid brass *Hall tree hook* 







#### 1900-PB 1 3/8" projection Base: 3/4" X 1 1/2" Solid brass "Wardrobe" hook

1908-PB polished brass 1908-PN polished nickel 1 5/8" projection

Base: 1 1/8" X 1 1/4"

1909-PB polished brass

1909-PN polished nickel 3 1/8" projection Base: 1 3/4" X 1 3/4"

Household hook with 2 prongs

Solid brass

For hall, bathroom, kitchen, etc.

Household hook

Solid brass



For doors, gates, refrigerators etc.

1575-PB polished brass 1575-PN polished nickel 11" long, 5" at widest Solid brass Cast, highly polished

5.4



1500-PB	polished brass	
1500-PL	lacquered brass	
1500-PN	polished nickel	
1500-AB antique brass		
3/8" offset		
3 1/2" long, 1 7/8" wide		
Solid brass		



1502-PB polished brass 1502-PN polished nickel 4 1/8" long, 1 5/8" wide 3/8" offset Heavy gauge stamped brass

### Ice Box or refrigerator hardware



1906-PB polished brass 1906-PN polished nickel Height: 2 1/2" 2 3/8" projection Base: 1" X 1 5/8" Solid brass

Art Deco style

Bottle Opener



1515-PB polished brass 1515-BN brushed nickel 1515-PN polished nickel 1515-AB antique brass 2 1/2" X 3" Solid brass For kitchens, ice boxes, etc.



1506-PL lacquered brass 1506-PN polished nickel 1506-AB antique brass 3/8" offset Base: 2 1/4" high Lever: 3 1/4" long Solid brass

1506-PB



ice box latch and strike

#### Ice Box Name Plate





polished brass

polished brass 1505-PL lacquered brass 1505-PN polished nickel 1505-AB antique brass 3/8" offset Base: 2 1/4" high

Lever: 3 1/4" long Solid brass For right hand door

1510-PB polished brass 1510-PL lacquered brass polished nickel 1510-PN 1510-AB antique brass 3 1/2" X 1 1/2" Solid brass

104





#### UPC BAR-CODE LABELS

Would UPC bar-code labels on your products help you with your operation at your point of sale? We can put our UPC bar-code labels on products for you. Please contact us for more information.



6103 5 1/8" wide 4 1/2" center to center Zinc diecast & Bakelite



6100 5 1/2" wide 3 1/2" center to center Zinc diecast & Bakelite



6101 6" wide 4 1/4" center to center Zinc diecast & Bakelite


## Bakelite and die-cast metal pulls and knob for waterfall, Depression, 1930's furniture, etc. Metal parts in antique brass finish



61024 3/4" wide4" center to centerZinc diecast & Bakelite



6104 2" dia. 3/4" projection Zinc diecast & Bakelite



## Morris chair hardware Authentic racks and rods for reclining armchairs

1349-PB

1349-AB

1349-OB

3/4" wide

Sold in pairs

polished brass

oil rubbed bronze


antique brass

6 1/2" long (from tip to tip)

Brass plated cast iron

Morris chair rack with slots for 4 leaning positions

Allen key included.



Morris chair rod

Lawyer/Barrister Stacking Bookcase

Hardware usage plan

Hardware shown on next page

Morris chair racks Sold in pairs



Brackets installed on door, stops installed on frame. When door is pulled out, brackets pivot on stops until door is horizontal and can be pushed inside bookcase section.

L-shaped pieces can be cut to length

Sold in pairs

CASTERS



1" brass wheel 1" top of socket inner dia. 1 1/4" top of socket inner dia. Brass horn and socket

#### Deep socket casters

cup




Brass horn and socket

1389-PB polished brass 1389-AB antique brass 1389-PN polished nickel 1 1/4" brass wheel 1 1/4" top of socket opening Brass horn and socket



1388-PB polished brass 1388-AB antique brass 1" brass wheel 1" top of socket opening Brass horn and socket





1366-PB 1" porcelain wheel Brass horn Stem caster



polished brass

antique brass

1367-PB 1" porcelain wheel 1 1/8" plate dia. Brass horn and plate Stem and plate caster

# CASTERS / RINGS





1381-PBpolished brass1381-ABantique brass1381-PNpolished nickel1" brass wheel11 1/8" plate dia.Brass horn and plateStem and plate casterEnglish pattern

English pattern



1384-PBpolished brass1384-ABantique brass1 3/8" brass wheel11 1/8" plate dia.Brass horn and plateStem and platecasterEnglish pattern

Small



1386-PBpolished brass1386-ABantique brass15/16"inner dia.Solid brassPlain caster ring



1387-PBpolished brass1387-ABantique brass13/16"inner dia.Solid brassBeaded caster ring

Large

2 Round caster rings (shallow sockets) in 2 finishes The ring sits over the caster's plate and surrounds the base of the furniture leg





1382-PBpolished brass1382-ABantique brass3/4" brass wheel7/8" plate dia.Brass horn and plate

19th century plate casters with long pivots



1383-PBpolished brass1383-ABantique brass1" brass wheel11 1/8" plate dia.Brass horn and plate



#1371 caster shown with #1387 ring



Hardwood caster cup to protect the floor For casters with a diameter of up to 2" **4901** Base dia.: 2 1/2" Opening dia.: 1 5/8" Oak *Caster cup* 

109

CASTERS





Sel .

7

Small

# 1391

1392

1 1/4" wheel dia.

Steel assembly with hardwood wheel

Includes 2 sockets

Sold in pairs

Ball bearing casters

1 1/4" wheel dia. Steel assembly with hardwood wheel Includes 2 sockets *Sold in pairs* 



#### 1395 2" whe

2" wheel dia. Steel assembly with hardwood wheel Includes 2 sockets Sold in pairs

Large



1396 2" wheel dia. Steel assembly with hardwood wheel Includes 2 sockets Ball bearing casters Sold in pairs

#### Grip-neck casters with steel horns and hardwood wheels Steel stem 1" long, 5/16" in diameter

#1392, #1394 and #1396 have ball bearings for enhanced swiveling



Black rubber wheel



## 1398-BK

2" wheel dia. Steel assembly in antique brass finish Includes 1 socket Ball bearing caster with black rubber wheel Sold each



# 1394

1 5/8" wheel dia. Steel assembly with hardwood wheel Includes 2 sockets *Ball bearing casters Sold in pairs* 



Grip Neck Sockets

# 1399-ZP


1 1/8" tall fit in a hole with 3/8" diameter Steel, zinc plated *Extra sockets for all the casters above Sold in pairs* 

Casters with hardwood wheels Wheels with dark color

Medium

1393

1 5/8" wheel dia. Steel assembly with hardwood wheel Includes 2 sockets *Sold in pairs* 



520

**1385-PN** polished nickel 1 1/4" X 1 1/4" Stamped brass *Hoosier cabinet leg skirt* 



**1352-PB** brass plated Pin is 2" long Each bracket is 1/2" X 1 1/2" Steel

Mirror Mounting Friction Hinges Friction is adjusted by tightening the screws on the brackets Sold in pairs



串串

1353-PBbrass plated1353-OBoil rubbed bronzePin is 2" longEach bracket is 3/4" X 1 1/4"Steel



Cheval mirror mounting hinge set

1351-PB polished brass antique brass
1351-AB antique brass
1351-PL lacquered polished brass
1 1/4" ring dia.
2 threaded studs are provided:
2 1/4" long & 3 1/2" long
Solid brass parts with brass plated studs

5.4



1401-PBpolished brass1401-PNpolished nickel1401-BNbrushed nickel1401-OBoil rubbed bronzeFrame: 27/8" X 1"Card size: 21/2" X 1 5/16"Stamped brassLabel holder pull



1400-PBpolished brass1400-ABantique brass1400-BNbrushed nickel1400-PNpolished nickel1400-OBoil rubbed bronzeFrame: 3" X 2"Card size: 2 1/4" X 1 1/2"Cast brassLabel holder



1402-PB polished brass
1402-AB antique brass
1402-PN polished nickel
1402-BN brushed nickel
1402-OB oil rubbed bronze
Frame: 2 3/8" X 1 1/4"
Card size: 2" X 1"
Stamped brass
Label holder pull



1406-PBpolished brass1406-BNbrushed nickel1406-PNpolished nickel1406-OBoil rubbed bronzeFrame: 2 3/8" X 1 1/4"Card size: 2" X 1"Stamped brassLabel holder

Label holders



1403-PB polished brass
1403-PN polished nickel
1403-BN brushed nickel
1403-OB oil rubbed bronze
Frame: 3 1/8" X 1 1/2"
Card size: 2 7/8" X 1 1/4"
Stamped brass
Label holder pull



1405-PBpolished brass1405-ABantique brass1405-BNbrushed nickel1405-PNpolished nickel1405-OBoil rubbed bronzeFrame: 2 1/4" X 1"Card size: 1 3/4" X 5/8"Pull projects 11/16"Cast brassLabel holder pull

Label holders with pulls

Small Sm

1149-PBpolished brass1149-PNpolished nickel1149-OBoil rubbed bronze1149-BNbrushed nickel3 1/2" center to centerSolid brass

Early 20th century solid brass handles in two sizes For drawers, file cabinets, display cases, etc. Oval horizontal bar set off-center to bases



1205-PB 5 1/2" long, 1 1/2" high Cast brass

23

3 3/4" center to center

4 1/4" overall length

1 1/4" wide Solid brass

# A STAN



6534 1" wide, 1 1/2" tall, 5/16" thick Selvedge to key pin: 3/4" Polished steel With key

Mortise locks for drawers can also serve in right-hand cabinet doors

Small

Medium



6536-PB polished brass 6536-AB antique brass Plate: 1" X 1 3/4" Brass plated steel With key and keyhole plate

#### With extended selvedge and strike plate



#### 6535

1" wide , 1 1/2" tall , 5/16" thick Selvedge: 2 1/8" X 3/8" Strike plate: 2 1/8" X 3/8" Selvedge to key pin: 3/4" Steel lock with brass strike plate With key

2.4

Mortise locks for drawers can also serve in right-hand cabinet doors

#### Left hand



1 3/4" wide, 1 5/8" high Selvedge to key pin: 5/8" Polished steel With key

Smaller



#### 6533-RH

1 3/4" wide, 1 5/8" high Selvedge to key pin: 5/8" Polished steel With key Half-mortise lock for drawers and right-hand cabinet doors

1 3/4" wide, 1 7/8" high Selvedge to key pin: 7/8"

Half-mortise lock for drawers and left-hand cabinet doors

LH or RH denotes orientation when used on cabinet doors

#### Left hand

Right hand



Larger

#### 6540-RH

6540-LH

Polished steel With key

1 3/4" wide, 1 7/8" high Selvedge to key pin: 7/8" Polished steel With key Half-mortise lock for drawers and right-hand cabinet doors



#### 6537 Plate: 1 1/4" X 2 1/2" Brass plated steel With key

Large



6538 Plate: 1 3/4" X 3" Polished steel With key

Non-mortise locks for cabinets and wardrobes In 3 sizes Bolts shoot right and left

Right hand

Half-mortise lock for drawers and left-hand cabinet doors

6532-LH

Half-mortise drawer or cabinet door locks in 2 sizes

N. CO



6550-PL polished brass with lacquer 6550-AB antique brass 6550-BK flat black Lock case: 1 3/4" wide, 1 3/8" high , 5/16" thick Selvedge: 3 3/8" X 5/8" , strike plate: 2 3/4" X 1" Solid brass selvedge, strike plate, and 2 keys Polished steel housing and mechanism Desk lock with rounded corners



Brass plates available in 3 finishes



Roll top desk locks with self closing strikes Use square-cornered lock to restore antique desks Use round-cornered lock for newly made desks

Advanced mechanism allows removal of key in the unlocked position



Includes keyhole plate

#### 6551-PB


Case: 1 3/4" wide, 1 3/8" high, 5/16" thick Selvedge: 3 1/4" X 5/8", strike plate: 2 3/8" X 13/16" Solid brass selvedge, strike plate, keyhole plate, and 2 keys Brass parts are not lacquered Polished steel housing and mechanism Desk lock with square corners A narrow lock for clock cases, cabinets, wardrobes etc.

23



6539 Case: 13/16" W X 2" H X 5/16" D 2 7/8" overall height Steel Dark antique copper finish *With one key Bolt shoots left and right* 

Half-mortise lock for chests, boxes, desks, lids, etc.



6546 2 5/8" W X 1 9/16" H Strike plate: 2 5/8" X 1/2" Selvedge to key pin: 1" Polished steel with one key

Skeleton key for house door locks



8730-PB polished brass 8730-PN polished nickel Overall length: 3 1/8" Bit is 3/8" X 3/8" High tensile forged brass Well-made key will operate most bit-key locks on the market

# Zinc alloy



6526-PB brass plated 6526-PN nickel plated Overall length: 2 7/8" long Bow: 1 1/8" wide Zinc alloy

6531-AB

6531-AC

Zinc alloy

6521-PB

6521-PN

Zinc alloy

6528-PB

6529-AB


Zinc alloy

Plain bow

Bow: 1" wide

Bow: 3/4" wide





antique brass

brass plated

nickel plated

polished brass

antique brass

Overall length: 2 3/8" long

Fancy bow, smaller bit

Overall length: 2 1/4"

Overall length: 2 1/2"

Bow: 3/4" wide

antique copper













6530-PB brass plated 6530-PN nickel plated Overall length: 2 3/8" long Bow: 3/4" wide Steel Flat bow

6552-PB brass plated Overall length: 2 1/2" Bow: 1 1/8" long Zinc alloy Two-bitted keys for desk locks Sold in pairs

# Solid brass

#### Beautifully detailed key For clock cases, cabinets and drawer locks

Solid brass

 $Overall \ length: \ 3 \ 1/4"$ 

Bow: 1 3/8" wide

6523-PB

6524-PB Overall length: 3" long Bow: 1 1/2" wide Solid brass

6520-PB Overall length: 2 1/4" Bow: 1" long Solid brass Blank key

6525-PB Overall length: 2 1/4" Bow: 1" long Solid brass Skeleton key

> 6519-PB Overall length: 2 3/4" Bow: 1 1/8" long Solid brass Skeleton key

Keys to fit most drawer / cabinet door locks on the market

Ser.



1576-PBpolished brass1576-PNpolished nickel1576-OBoil rubbed bronze13/16" wide , 1 3/4" high1/2" top diameterStamped brassPicture molding hook withpressed pattern

1 pt.



6695-ZP 5/8" wide , 3/4" high Steel 1-point drawer stops Sold in bags of 50 pcs

# Drawer stops

2 pt.



6696-ZP 3/4" wide , 3/4" high Steel 2-point drawer stops Sold in bags of 50 pcs



# 1577-PBpolished brass1577-PNpolished nickel1577-OBoil rubbed bronze1 3/4" high3/4" top diameterHalf round brass rod

For larger molding

# Picture molding hooks



Good Hardware at Good Prices



1578-PB 1578-PN 1578-OB

polished brass polished nickel oil rubbed bronze

2" high 3/4" top diameter Cast brass *Heavy duty picture molding hook* 



1141-PBpolished brass1141-PLlacquered polished brass1141-PNpolished nickel1141-BNbrushed nickel1141-OBoil rubbed bronze1 7/16"X1 3/4"Solid brassFlush (recessed) ring pull



in the second se



**4217-C** 1 3/16" dia. 1 1/4" projection Cherry

**4217-M** 1 3/16" dia. 1 1/4" projection Maple



**4217-O** 1 3/16" dia. 1 1/4" projection Oak



**4217-W** 1 3/16" dia. 1 1/4" projection Walnut

With threaded insert at base to take 8-32 machine screw (not supplied)

# Shaker knobs

Sm.



**4210** 11/16" dia. 3/4" projection 3/8" tenon dia. Beech



Lg.



**4212** 1 3/8" dia. 1 1/8" projection 1/2" tenon dia. Beech

**4213** 1 7/8" dia. 1 5/8" projection 5/8" tenon dia. Beech



Walnut "fruit" pull

9" wide 3" high Walnut

# For Victorian and Eastlake walnut and oak furniture

CC

**4347** walnut **4367** oak 1 1/16" dia. *Round* 

Larger

Smaller



 4348
 walnut

 4368
 oak

 1 1/4"
 dia.

 Round



**4349** walnut **4369** oak 1 1/4" side *Diamond shaped* 

Wooden keyhole plates



With 8-32 threaded inserts and screws

**4426** desk/drawer handle 7 1/4" wide , 1 5/8" high 5" center to center Oak Carved



Hardwood caster cup to protect the floor For casters with a diameter of up to 2"

5.5



25

**5683** 1" dia. 15/16" projection White porcelain *With 1 machine screw* 

**5684** 1 1/4" dia. 1 1/16" projection White porcelain





5671 1/2" dia. 1/2" projection White porcelain *With 1 machine screw* 

**5672** 3/4" dia. 5/8" projection White porcelain *With 1 machine screw* 



5673 1" dia. 7/8" projection White porcelain With I wood screw and I machine screw



#### **5685** 1 1/2" dia. 1 1/4" projection White porcelain *With 1 machine screw*

With 1 machine screw



5674 1 1/4" dia. 1" projection White porcelain With 1 wood screw and 1 machine screw



**5697** 2" dia. 1 3/8" projection White porcelain *With 1 machine screw* 

White porcelain knobs for furniture and cabinets with embedded 8-32 threaded insert Screw is installed from the back



5675 1 1/2" dia. 1" projection White porcelain *With 1 machine screw* 

White porcelain knobs with brass plated screws For furniture, shutters, pictures etc. Screw goes through the center of the knob

N. CO

Small



Colonial pattern clear glass knobs

In 2 sizes, with 2 base finishes

5305-PB polished brass base 5305-PN polished nickel base 1 3/16" dia., 1 1/8" projection Shank 1/2" long Clear glass with brass base

5306-PB polished brass base 5306-PN polished nickel base 1" dia.

1<sup>°°</sup> dia. Brass base 6-sided glass knob



Small



Medium

**5307-PB** polished brass base **5307-PN** polished nickel base 1 1/4" dia. Brass base *6-sided glass knob* 



Large



5304-PB polished brass base 5304-PN polished nickel base 1 3/4" dia., 1 3/8" projection Shank 1/2" long *Clear glass with brass base* 

# IMPORTANT INSTALLATION INSTRUCTIONS:

<u>Glass knobs with brass base</u> - where the screws come from the back and screw into the threaded shank.

Use only hand tools to install glass knobs or pulls on your cabinets. Power tools may cause damage to the thread, the shank or the base.

Hold the knob and turn the screw. Do not turn the knob against the drawer or door wall.

Tighten carefully, but do not overtighten. Make sure the screw is not too long for the job in order to avoid turning the shank in the base - we include screws that are 5/8" long.



Brass bases

6-sided posts



Large

5308-PB polished brass base 5308-PN polished nickel base 1 7/8" dia. Clear glass knob Brass base 6-sided knob Extra large size

6-sided star-shaped clear glass knobs and handle Brass bases in polished brass or polished nickel 1/2" long brass shanks - equipped with 5/8" long screws

#### N. C.









5502	clear
5512	cobalt blue
5532	opal
5572	amber
1 1/8"	dia.
1 1/8"	projection
Round	"Mushroom" glass knob

With a 2-1/2" long N/P bolt

5590

5593

5597

5598

5599

5504

5534

5544

5554

5584

1 1/8" dia.

1 1/8" projection

1 3/4" dia.

from the back

clear

opal

black

With a 2 1/2" long N/P bolt

Round "Beehive" glass knob

Depression green

peacock blue

1 3/8" projection Colonial glass knob Very large knob with threaded insert - installed with screw

clear

opal

amber

purple

depres. pink




5297 clear glass 1 1/4" dia. Glass shank 1/2" dia. Includes brass sleeve

Hex Glass Knob with threaded glass shank can be installed directly unto the wood or with the brass sleeve



**5297-F** sleeve for Glass Knob 5/8" long , 1/2" dia. Stamped brass Used to install glass knob above Can be ordered by itself



# Fluted glass knobs and a handle in 6 colors 2 1/2" long nickel-plated bolts included





 5296-PN-1.00
 nickel plated

 5296-PN-1.25
 nickel plated

 5296-PN-1.50
 nickel plated

 5296-PB-1.00
 brass plated

 5296-PB-1.25
 brass plated

 5296-PB-1.25
 brass plated

 5296-PB-1.50
 brass plated

 Post: 7/32" dia., 7/8" long
 Screw length: 1.00" or 1.25" or 1.50"

 Steel posts and screws
 Steel posts and screws

Posts & Screws: an alternative way to install glass knobs and handles. There are 3 lengths of screws corresponding to sizes of knobs. Please specify size when ordering (for handles order 1.25" screws). GLASS PRODUCTS



#### Hexagonal glass knobs and handles in 14 colors



5203	clear		
5213	cobalt blue		
5223	ruby red		
5233	white		
5243	black		
5253	Depression green		
5263	forest green		
5273	amber		
5283	Depression pink		
5153	opal		
5163	milk blue		
5173	milk green (jade)		
5183	peacock blue		
5193	purple		
1 1/2" dia.			
Hex Glass Knobs			
With a $3$ " long N/P bolt			

1 1/2" dia.

## IMPORTANT INSTALLATION INSTRUC-TIONS

Glass knobs with bolt inserted from front through head of knob: Use only hand tools to install glass knobs or pulls on your cabinets. Power tools may cause damage to the thread or to the knobs. To tighten, turn only the nut on the back of the screw (this is one reason that the heads of the screws are smooth on top and do not have a slot). Do not turn the knob itself as it may cause breakage. Tighten the nuts carefully but do not over-tighten - remember they are made of glass so are fragile.

1 7/8" dia.

5204 clear 1 7/8" diameter Hex Glass Knobs With a 3" long N/P bolt




Bolts for Glass Knobs & Handles

5291-PN	nickel plated	2 1/2" long
5292-PB	brass plated	2 1/2" long
5293-PN	nickel plated	3" long
5294-PB	brass plated	3" long

Authentic pan-head screws come with square nuts. The heads of the screws are smooth. The upper part of the stem is threadless for better appearance.









# Wall display program Call for more information



DB-05 Blank Display 16" X 24" 3/4" thickness White laminated

B&M Hardware Co. wall display board. We sell blank (unmounted) boards because we have so many products and different customers need different samples. Display board samples are offered at 50% off base prices. Table / shelf displays for door hardware Call for more information 2.4





DS-05/06/07/08/09 Base: 8 1/4" X 5 1/2" Height: 13"

B&M Hardware Co. display stands for doorknobs, roses and escutcheon plates feature various groupings of our doorknobs and trim. We can make them with any combination of trim and knobs that you prefer.